

Jewelry Equipment & Tools

ALFAMIRAGE CO., LTd.

3-2-19, Miyakojimahondori Miyakojima-ku, Osaka 534-0021, JAPAN TEL.+81 6 6924 2631 FAX.+81 6 6924 2044 Email:sales@alfamirage.com

https://store.alfamirage.jp https://www.alfamirage.com

2023.8.1500



ALFA MIRAGE COLLECTION vol.10



ALFAMIRAGE CO., LTd.

CREATE PRODUCTS FOR BETTER PRODUCTS *****

TABLE OF CONTENTS

GEMOLOGICAL	Gold tester Diamond tester / Gem tester Gemological instrument Lighting Microscope Loupe / Magnifier Tweezers / Others	2
MEASURING	Balance Gauges / Calipers	18
BENCH TOOLS	Cutter / Pliers Hand tools Abrasives / Polishing Buff Bur / Point Machinery	23
STORE FRONT	Cleaning / Cloth Boxes / Others	47
DESIGN	Design Template	51
PEARL TOOLS	Pearl Drilling Pearl tools Thread / Wires	53
WATCH TOOLS	Watch tools	56

GEMOLOGICAL Gold tester | Diamond tester / Gem tester Gemological instrument | Lighting | Microsc Loupe / Magnifier / Tweezers / Others



GOLD/PLATINUM TESTER GK < Precious Metal Tester GK Series>

GK series are the GOLD TESTER with our developed software which evaluates purity of Precious Metals.

Features

- 1. GK Series can check purity to confirm if marked stamp on gold (platinum) is correct or not. GK Series are very useful to check most common type of fake gold: lower purity than marked stamp on gold (platinum).
- 2. Gold (platinum) which outside covered real gold (platinum), and inside with other metal can be detected.
- 3. None-gold (platinum) metals can be distinguished.
- 4. Can be measured scrap gold at a time and show average purity.
- 5. Also function as a normal gram scale and Densimeter.
- 6. Display Gold K9-K24 & % (GK-300: 99%, GKS Series: 99.9%).
- Display Platinum 600-1000 & % (GKS Series).

Easy operation in 10 Sec.



Item Code	101-006	101-007	101-002
Model	GKS-300	GKS-3000	GK-300
Measuring Range	0.001 - 300 g (0.001 g/cm ³)	0.01 - 3000 g (0.01 g/cm ³)	0.01 - 300 g (0 - 0.01 g/cm ³ depends on weight)
Application	Gold, White gold, Platinum	Gold, White gold, Platinum	Gold
Minimum sample weight	2 g	10 g	5 g
Display	Gold : Lo, 9, 10, 11, 12, 13, 14, PT : Lo, Pt600, 650, 700, 750, 8 Purity 99.9% Density (specific gravity)	15, 16, 17, 18, 19, 20, 21, 22, 23, 24K 300, 850, 900, 950, 1000	Gold : Lo, 9, 10, 12, 14, 16, 18, 20 21, 22, 23, 24K Purity 99% Density (specific gravity)
Weight / Dimensions	2.8 kg / 260 x 190 x 200 mm	4.2 kg / 260 x 240 x 240 mm	1.5 kg / 218 x 190 x 170 mm
Power Supply	AC100 - 240V	AC100 - 240V	AC100 - 240V
Option	Airtight Wind Shield, Compact Printer AL2-58, Printer AD-8127, 2 kg calibration weight, Remote display		

*GKS-300/ GK-300 comes with calibration weight 200g. GKS-3000 does not comes with calibration weight 2kg (Option).

Precious metals which are NOT able to be tested with GK Series

- 1. With hallow.
- 2. With any stones
- (have to remove them when testing).
- 3. Materials which have close density to gold (platinum).







Compact Printer AL2-58 Remote Display



Alfa Mirage Collection







Vanta Element





Vanta L series



EVIDENT VANTA GX

EVIDENT

The new Vanta[™] GX precious metal analyzer is an affordable way to know the purity and composition of gold, jewelry, coins, and other valuables. Accurate, easy to use, and nondestructive, the countertop instrument delivers precious metal content, karatage and fineness in seconds so jewelers can confidently price the valuables when buying or selling.

Item Code	101-012	101-013
Model	Vanta GX SDD	Vanta GX PIN
Detector	Silicon PIN diode	Silicon drift detector
Display	Full color touch-screen display: 800 $ imes$ 480 (WVGA)	
Camera	Full-color VGA camera	
Chamber Dimensions	94 × 177	7 × 173 mm
Weight / Dimensions	10 kg / 357	x 239 x 324 mm
Power	100–240 VAC, 50–60 Hz	r, 70 watts at 18 V and 3.9 A

EVIDENT VANTA

EVIDENT

The Vanta analyzer is advanced handheld X-ray fluorescence (XRF) device and provides rapid, accurate element analysis and alloy identification to customers who demand laboratory-quality results in the field.

Item Code	101-010	101-011
Model	Element	L Series
Excitation Source	35 kV (2 watts) X-ray tube with application-optimized anode material (rhodium (Rh), silver (Ag), or tungsten (W)	
Weight (with battery)	1.54 kg	1.7 kg
Dimensions	83 x 242 x 289 mm	
Power	Removable 14.4V Li-ion ba	ttery, AC100–240, 70W max



The 45MG is an advanced ultrasonic thickness gauge packed with standard measurement features and software options. Single element transducers enable you to make accurate thickness measurements on metals, and distinguish Tungsten or other metals inside the ingot.

Item Code	101-014
Model	45MG
Thickness Range	0.080 mm to 635 mm depending on material
Material Velocity Range	0.508 mm/μs to18.699 mm/μs
Case	3Impact-resistant and water-resistant, gasketed case with sealed connectors. Designed for IP67
Battery Life Operating Time	3 AA alkaline: 20 to 21 hours AA Lithium: 35 to 36 hours
Weight / Dimensions	431 g / 91 x 162 x 41 mm
Power	AA batteries x 3 / USB power supply

SHIMADZU X-RAY FLUORESCENCE SPECTROMETER

Energy Dispersive X-ray Fluorescence Spectrometer EDX-7200 is a flagship model of the EDX series in pursuit of high sensitivity, high speed and high precision. Not only for precious metal analyzes, but also for Gems, watch etc.

Item Code	101-015
Model	EDX-7200
Measurement Principle	X-ray fluorescence spectrometry
Measurement method	Energy dispersion
Measuring range	11Na to 92U
Weight / Dimensions	45 kg / 460 x 590 x 360 mm
Power	100-240 V AC \pm 10 %, 2 A earthed socket







AURA

SmartPro Optiumum-I, revolutionary handheld CVD/HPHT & Moissanite Screener that can be used on loose or mounted stone even if they are mounted on closed back settings. Distinguishes natural diamond from CVD/HPHT Synthetic Diamond and Moissanite.

Capa

Weig Optimum-Powe

Vol.10 / 3

EDX

Vol.10 / 4

SHIMADZU FTIR IRSPRIT

IRSpirit FTIR spectrophotometers are extremely compact, but can still be used together with standard accessories from Shimadzu and other manufacturers. IRSpirit instruments come with IR Pilot software, which offers 23 application-specific workflows that are ready-to-use without parameter setup. Measure multiple samples with just one click.

ltem Code	102-011
Model	IRSprit
Interferometer	Michelson interferometer (30° incident angle) Equipped with Dynamic Alignment system Sealed interferometer
Beam Splitter	Germanium-coated KBr
Light Source	High-energy ceramic light source
Detector	IRSpirit-T model: DLATGS detector with temperature control IRSpirit-L model: LiTaO3 detector
Wavenumber Range	7,800 ~ 350 cm-1
Weight / Dimensions	8.5 kg / 390 x 250 x 210 mm

GIA iD100 GEM TESTING DEVICE



🕀 SHIMADZU

The GIA iD100[®] gem testing device with advanced spectroscopic technology. Small, yet powerful, the GIA iD100 gives you a simple and clear determination in under two seconds and an unrivaled accuracy that lets you get on with business confidently. The GIA iD100 distinguishes simulated and laboratory-grown diamond from natural diamond. It is able to test colorless to near-colorless, blue-to-green and brown diamond.

ltem Code	102-007
Capabilities	Identifies colorless to near-colorless, brown, and blue-to-green natural diamonds. Both mounted and loose diamonds of 0.9mm or greater in diameter (approx. 0.005 carat size)
Weight / Dimensions Power	1.02 kg / Base 200 x 165 x 80 mm, Fiber probe 400 mm AC 100-240V 50 /60 Hz

SYNTHETIC DIAMOND SCREENER AURA

Synthetic Diamond Screener to detect Lab-Grown CVD Synthetic Diamond and HPHT Synthetic Diamond from earth mined natural diamonds. It can screen loose as well as mounted diamonds. It has an ability of screening automatic 360 degree testing of bangles, bracelets and rings.

Item Code	102-010
Capabilities	Natural Diamond, CVD Synthetic Diamond, HPHT Synthetic Diamond, Stone Colors (capable to detect): Colorless to Near Colorless (D-K), Stone Size (capable to detect): 0.002 carat and above. Estimated Maximum Count of Stones per test: 576 separated loose stones (9 pcs of 0.002 ct per block)
Weight / Dimensions Power	5 kg / 235 x 310 x 200 mm AC100-240V
Accessories	SmartPro Aura, Loose Stone Tray, Loose stone Tray 2, Ring / Jewelry Tray, Ring attachment, Bracelet attachment, Power Cable or AC power cable

DIAMOND MULTI SCREENER OPTIMUM I

n Code	102-008
abilities	Distinguish colorless to Faint Color (D-M) of Diamond, CVD/HPHT Synthetic Diamonds and Moissanite. Both mounted and unmounted stones of 0.015ct up to 10ct stone.
ght / Dimensions er	150 g / 170 x 60 x 30 mm Power Bank or USB Power Adaptor VDC 5V/1–2A

















SYNTHETIC COLORLESS DIAMOND TESTER SCREEN- I

Designed for smart testing of natural earth-mined coloress diamond (D-J) type Ia, Ib from Iab created or synthetic type IIa, IIb / CVD / HPHT mounted and loose colorless diamonds.

Item Code	102-006
Testing principle	UV transmittance
Operating Conditions	Loose diamond, Mounted diamond 0.02-12 ct / D-J color
Weight / Dimensions	165 g / 80 x 130 x 70 mm
Power	AAA battery x 4 / Micro USB
Accessories	Case, USB cable

PRESIDIUM MULTI TESTER III (PMuTIII)

Utilizes a patented combination of both thermal and electrical conductivity to distinguish between diamond, moissanite and other simulants.

Item Code	102-004
Weight / Dimensions	97 g / 165 x 25 x 40 mm
Accessories	Loose stone holder, Case
Battery	AAA battery x 3



Gem Lightbox GLB Mater



Working base height from the diffuser Diffuser has set under LED illumination 207mm or 300mm





GIA Polariscope Powe



GIA Refractometer

Acce

DIAMOND MATE A

Pocket-sized instrument that instantly verifies the authenticity of diamonds based on their thermal properties. It has the tip (0.6mm) for testing diamonds as small as 0.02ct.

Item Code	102-009
Weight / Dimensions Power	80 g / 161 x 21 x 30 mm AAA alkaline battery x 3
Accessories	Battery, Loose stone holder, Case

GEM TESTER II (PGT II)

Presidium Gem Tester II provides a quick and easy way to identify diamond / moissanite and separates up to 16 common colored gemstone based on their thermal conductivity with its clear and direct analog display. It features the thinnest retractable probe tip (0.6mm) for testing colored gemstone as small as 0.02 carats. Coated gemstone can also be generally tested.

Item Code	103-025
Weight / Dimensions	272 g / 77 x 165 x 77 mm
Power	AA alkaline batteries x 2 or AC100-240V

DIAMOND MARKING PEN 0.05 BLACK

Permanent black ink fine tip of 0.05mm to mark down on Diamond, Gems. Useful for marking on stones for further inspection, grading as well as polishing lines on rough diamond.

Item Code	801-476
Size of the tip	0.05 mm
Made in Japan	



Alfa Mirage Collection

Vol.10 / 6



FRONT: Front LED Tube On/Off BACK Back | FD Tube On/Off UV: LED UV365nm On/Off UV VOLUME: UV intensity control 5 levels (50-100%)

GEM LIGHTBOX GLB MASTER

ALFAMIRAGE

GLB master provides most suitable lighting condition for Diamond grading, and Gem identification. High color rendering Ra97 light emitted from newly developed LED tubes which is similar to natural light goes through special diffuser. It's easy on the eyes and enables anyone to perform uniform grading and identification. UV intensity can be adjusted with 5 levels, allowing you to work in like daylight condition. GLB Master is supervised by CENTRAL GEM LABORATORY Co., Ltd, designed and produced in Japan, following ISO standard.

Item Code	104-072
Illumination	LED Tube light 6500K x 2 pcs, LED UV 365nm x 2 pcs
Color Rendering	Ra97
LED Life Time	40,000 hours
Working Stage	495 x 200 mm / Height from diffuser 207 or 330 mm
Weight / Dimensions	7 kg / 510 x 210 x 490 mm
Power	AC100-240V (Plug type A: 2-flat pins)
Mada in Janan	

Made in Japan

CGL COLOR GRADING TRAY / COLOR GRADING TRAY MINI

CGL Clor grading tray: CGL Japan developed ideal tray for diamond grading. Eliminates the reflection from the tray to distinguish the very little difference of the color. Use it with gembox or put day-light from vertical direction to have accurate grading.

Color grading tray mini: Diamond grading tray with 2 v-shaped grooves, 2 different width to hold stones. Perfect for use in a diamond grading light cabinet.

n Code	103-023	103-028
e	Professional	Economical-mini
erial	Acrylic	Acrylic
ght / Dimensions	23 g / 123 x 21 x 20 mm	12 g / 98 x 24 x 12 mm

Made in Japan

GIA POLARISCOPE

The GIA Polariscope is used to test the optical properties of gemstone and determine whether a stone is singly refractive, doubly refractive or is an aggregate. Doubly refractive stones may be divided further as to whether they are uniaxial or biaxial. The polariscope may also be used to detect pleochroism in doubly refractive colored stones.

n Code	103-027
ght / Dimensions	1 kg / 85 x 130 x 145 mm
essories	Optic figure sphere, 4X magnifier, Sample plate
/er	AC90-240V

GIA DUPLEX II REFRACTOMETER



Instruments Distributor

' 🛞 GIA'

The only refractometer designed to "spot" read cabochons or small facets with diameters less than 1mm. Top of the line desk model with removable eyepiece magnifier that enlarges RI scale image. Hinged lid protects glass working area from dust & abrasion. Refer to affixed chart of most-used RI's.

n Code	103-026
ght / Dimensions	600 g / 63 x 150 x 113 mm
essories	Polarizing Filter, Dust cover, RI liquid 10 g bottle













GEM REFRACTOMETER

High precision Gem Refractometer from Japan. Easy reading view with high quality eye piece optical lens. 2 types without light source, and with bult-in light source are available.

Item Code	103-029	103-030
Model	160M	160M LED
Index Range / Min Scale	1.330 - 1.810	
Min Scale / Accuracy	0.01 / +	-/-0.002
Power / Light	-	AAA battery x 3 / LED
Weight / Dimensions	400 g / 38 x 123 x 81 mm	400 g / 38 x 125 x 81 mm
Accessories	Polarizer filter, Case	AAA battery x 3, Polarizer filter, Case
Made in Japan		

1.81 REFRACTIVE INDEX LIQUID

GEM MASTER 1.81 Refractive Index Liquid, for use with the Gemological Refractometer. Used the highest quality raw materials, carefully controlled manufacturing and with close attention to health and safety issues. Each bottle is fitted with uniquely designed, Teflon "restrictor" neck-insert, for user friendly usage.

Item Code	103-024
Composition	Methylene Iodide + Sulphur + Tetraiodoethylene
Purpose	Optical Contact Liquid for Gem Refractometer
R.I. (nD)	1.81 +/- 0.003
Contents	10 g

SPECTROSCOPE

Spectroscope measures the characteristic spectrum through principle ingredients and coloration elements contained in the gemstone. It is the device to differentiate the type of gem.

Item Code	103-004	103-005
Product Name Weight / Dimensions	Spectroscope (Direct) 93 g / φ 21 x 89 mm	Spectroscope (Wavelength scale) 225 g / 50 x 22 x 104 mm
Made in Japan	93 g / φ21 x 89 mm	225 g / 50 x 22 x

DICHROSCOPE

Dichroscope for identifying double refraction.

Item Code	103-006	103-007
Product Name	Dichroscope	RAYNER Dichroscope
Weight / Dimensions	21 g / φ16 x 58 mm	14 g / φ15 x 51 mm

CHELSEA COLOR FILTER

Color filter for red, blue and green colors stone identification.

Item Code	104-011
Product Name	CHELSEA Color Filter
Weight / Dimensions	15 g / 55 x 33 x 22 mm

COLOR STONE CHART

Color Stone Chart can be your great help when selecting, purchasing, and selling color stones. The pictures are the closest to as actual color as possible. And the index shown under the each color stone can be also your help to calculate the market price for references.

Item Code	801-080
Contents	Total 15 sheets: Ruby, Blue sapphire Emerald, Paraiba tourmaline (0.5, 1.0, 3.0 ct) Jadeite (1.0, 2.0, 5.0 ct)
Accessories	User Manual, Case
Mado in Japan	





UV / White Lght MR-UV





Lamp



UV POWER LIGHT

Iten

Equipped with quality UV LED bulb from NICHIA, the top manufacturer of LED in Japan. You can check the UV fluorescent reaction of Diamond, Ruby and Alexandrite. Strong 375nm long wave, economical and high performance.

Item Code	104-036	104-035
Product Name	UV Power Light-3	UV Power Light-1
Wavelength	375 nm	
Bulb	3 (NICHIA UV LED)	1 (NICHIA UV LED)
Weight / Dimensions	47 g / φ31 x 93 mm	25 g / φ14 x 133 mm
Battery	AAA battery x 3 (15 hours)	AAA battery x 1 (6 hours)

UV LIGHT LED-5

Equipped 5pcs of quality Nichia UV LED, strong long UV light. Good for checking fluorescent reaction of Diamond, Ruby, Alexandrite etc, as well as bank note, cards and passport. Pocket size light and easy to carry out.

Item Code	104-070
Model	ABL-5Z
Wavelength	375 nm
Weight / Dimensions	87 g / φ30 x 100 mm
Battery	AA battery x 3
Made in Japan	

UV/WHITE LIGHT

ALFAMIRAGE

It has UV365nm(Long UV-A), 1000mW intensity of LED light. It's good and time saving for UV resin curing, bonding, and it can be used for fluorescent check, surface scratch inspection and other. various purposes. By rotating ring switch, you can change UV light and White light smoothly.

Item Code	104-067
Model	MR-UV
Intensity / Run Time	UV1000mW / 5.5 hours, UV105mW / 40 hours White800lm / 3.75 hours, White45lm / 27 hours
Weight / Dimensions	187 g / 26 x 38 x 168 mm
Battery	18650 Li-Ion battery x 1 or CR123A lithium battery x 2

POCKET LED LIGHT

Pocket compact LED light with 2 colors light. UV for diamond, ruby, etc. White and yellow color lights for gemstone and color change stones.

ltem Code	104-055	104-056
Product Name	UV Light Pocket Twin Light Pocket	
LED Lights	White / UV color LED light White / Yellow color LED light	
Weight / Dimensions	15 g / φ13 x 70 mm	
Battery	LR44 battery x 3	

MULTISPEC UV LIGHT

UV hand lamp for long and shortwave fluorescence certification. UV dark-room and viewing cabinet set.

Item Code	104-044
Lamp	Long wave 366 nm, Short wave 254 nm / 4W UV
Weight / Dimensions	619 g / 297 x 125 x 124 mm



GEMOLOGICAL

Lighting













LED LIGHT MR-95 (HIGH COLOR RENDING) 👪 AlfaMirage

High color rendering (Ra95), which cannot be expressed by conventional LEDs, enables inspection and observation in light close to natural sunlight. The higher the CRI, the better the color rendering ability. Helps you to check the original color of the objects and gemstones. Recommended for research professionals and gemologists.

Item Code	104-064
Model	MR-95
Bulb	LED CRI95 / 25 Lumens
Weight / Dimensions	26 g / φ17 x 100 mm
Battery	AAA battery x 1

LED LIGHT FLOOX

White LED light with suitable brightness for Jewelers.

Item Code	104-026	104-025
Body color	Purple	Blue
Bulb	White LED x 1 / 18 Lumens	
Weight / Dimensions	40 g / φ14 x 114 mm	
Battery	AAA battery x 2 (12 hours)	

PENI	IGHT	MR	

ALFAMIRAGE

Appropriate brightness for jeweler's penlight. Not only for gemstones, but also can be used with color filter or refractometer.

ltem Code	104-031
Bulb	Yellow bulb x 1
Weight / Dimensions	38 g / φ13 x 140 mm
Battery	AAA battery x 2

SPOT LIGHT MINI

Flexible Arm LED Light is widely used in many fields for various purposes. You can spot the light wherever you want. And also it has magnet on the back to attach on metal area.

Item Code	104-047
Light source	High brightness LED lamp
Weight / Dimensions	120 g / 70 x 50 x 18 mm
Arm length / Caliber	450 mm / Tube 4 mm, Tip 8 mm
Battery	AA battery x 3 (6 hours)
Accessories	Strap, Battery
Made in Japan	



MULTI GEMSTONE LIGHT D-201

4 different colors of light can be set with touch control panel. Also it has 5 levels of dimmer, so you can set your favorable color immediately. Easy to use with compact design, and 180 degrees rotate light head.

Item Code	106-217
Light	White LED 18 pcs, Yellow LED 9 pcs
Color of Light	2800, 3300, 5200, 6500K w/dimmer control
Power	AC100-240V
Weight / Dimensions	1.5 kg Base 180 x 170 x 12 mm / Light 240 x 30 mm / Height 720 mm



GIA Microscope Gemolite NXT





Iten

Flexible Stand Microscope



Micro & Sm Magi Batte

GIA MICROSCOPE GEMOLITE NXT



Most advanced gemological microscope, featuring LED lighting, high-clarity optics, and ergonomic features.

Item Code	105-070	105-071	
Model	Standard	Professional	
Magnification	8X – 50X (with 10X eyepiece Standard equipped) 12X – 75X (with 15X eyepiece Professional equipped)		
Field of View / Working Distance	27.5 – 4.4 mm (10X eyepiece) / 110 mm 20 – 3.2 mm (15X eyepiece) / 120 mm		
Weight / Dimensions	20 kg / Around 300 x 300 x 500 mm		
Accessories	Standard: Darkfield, reflected, and polarized lighting, Fiber optic illumination. 10X eyepiece. Professional :(Standard included) Fiber optic light shorter rigid and longer flexible. Overhead lamp, 15X eyepiece.		

MEIJI TECHNO STEREO MICROSCOPE

Binocular Zoom(7X-45X) Stereo Microscope for precision stone setting and all around jewelry work. This combination of EMZ-5/10 and Auxiliary LENS 0.5X lenses delivers the most useful magnification power, field of view and working distance for the bench jeweler. Jewelers recognize the outstanding build quality of the Meiji scope and the perfect focus that Meiji optics achieves.

m Code		
5-037	Body	Model EMZ-5/10, 7X-45X Binocular Zoom Stereo Field of view 32 mm - 5.1 mm Working distance 93 mm (W/MA517 150 mm)
-052	FS	FS Coarse Focus Block/Holder Uses 15.8 mm diameter, 34.5 mm long mounting pin
-053	Stand	Universal Boom Stand S-4300 Base 265 x 265 x 25 mm Vertical pole 400 mm, Horizontal pole 530 mm
-054	Stand	Table Clamp Boom Stand S-4600 Vertical pole 400 mm, Horizontal pole 530 mm
-055	Illuminator	LED Ring Illuminator MA964 100-240V, Wattage 10W, Dimmer 0-100%
-056	Auxiliary Lens	Objective Auxiliary Lens 0.5X MA517

Made in Japan

FLEXIBLE STAND MICROSCOPE S300II / S300V

Best seller Microscope with flexible stand, which allows operator to set on any angle, height and position. It has good stability, and focus will not be out once you set on the position. Stand-style and Magnet base styles are available. Useful for precise work or inspection as well.

Item Code	105-062	105-068	105-064	105-063	105-069	105-065
Magnification	8X	10X	16X	8X	10X	16X
Base type	Stand			Magnet		
Field of View	25mm	20mm	12mm	25mm	20mm	12mm
Working Distance	120mm	150mm	120mm	120mm	150mm	120mm
Weight / Size	Stand type 3.14 kg, Magnet type 1.84 kg / Flexible Arm 300 mm					
Option	Ring LED Illuminator (105-066)					

Made in Japan

MICRO STAND SCOPE / SMARTPHONE HOLDER

Compact Microscope with precision optics and LED light for examining diamond and gemstones. This scope enables you to read the inscription on loose or mounted stones. New attachment Smartphone Holder launched. Easy to take high magnification pictures.

ro Stand Scope	105-015	105-016	105-017
o Stand Scope artphone Holder set	105-059	105-060	105-061
Inification	Microscope 12X Telescope 4X	Microscope 20X Telescope 6X	Microscope 25X Telescope 8X
ery (LED Light)	CR2016 battery x 2 (16 hours)		

Digital Microscope MRS-T5.1





FHD Digital Microscope System



COMPACT DIGITAL MICROSCOPE

Integrated the Digital microscope with 5-inch color monitor. Great features that magnified visual inspection, sharing the image and movie can be done easily. Equipped the polarizing filter that can eliminate reflection of glossy object, and transmitted illumination with dimmer for easy observation. Comes with PC software for dimension, degrees measurements, HDMI cable for connecting with large screen, and the microSD card for save images and movies.

Item Code	105-067
Model	MRS-T5.1
Magnification	4X - 160X (Optical maximum 40X, digital zoom maximum 4X)
Monitor	5 inch IPS, LCD (960 x 540)
Power / Output	AC100–240 V / HDMI, AV, USB
Field of view / Focus Range	4X : 32 x 18mm to 160X 0.6 x 0.4mm / 5mm to 70mm
Polarizer	8 white LEDs (Dimmable), Transmitted illumination (Dimmable)
Light source	Polarizing Filter (Adjustable)
Weight / Dimensions	830 g / 158 x 165 x 267 mm
Accessories	AC Adaptor, USB cable, HDMI Cable, AV Cable, MicroSD Card (8GB), calibration scale, CD (measurement software)

COMPACT DIGITAL MICROSCOPE

Magnified observation, image storage from small to big object. Fit shooting Watch, Jewellry, Coin, Gemstone with any size with removable camera. Save picture, movie and can be connected to PC, or Monitor by HDMI output.

Item Code	105-051
Model	DIM-T2.4
Magnification	2.5 - 80X (Optical maximum 20X, Digital zoom 4X)
Image Sensor	3.0 Mega Pixels
Monitor	2.4-inch LCD
Power / Output	AC100-240 V / HDMI, AV, USB
Weight / Dimensions	650 g / 120 x 170 x 240 mm
Accessories	Microscope, Stand, Capture Remote, USB Cable,HDMI Cable, AV Cable, Calibration scale, Micro-SDCard (4GB), CD (measurement software), ACAdapter, Built-in Li-ion battery

FHD DIGITAL MICROSCOPE SYSTEM


The system which outputs the clear and smooth FHD (60fps) image and movie in progressive scanning with HDMI cable. Can see details of the image clearly even at low magnification. With optional Image capture device, the image and movie can be recorded and shared remotely on-line. Suitable for visual inspection for diamond, gem, jewelry, watch, and etc.

Item Code	105-057
Magnification	10X - 60X
Field of View	47.4 x 26.7 (10X) - 7.9 x 4.4 mm (60X)
Working Distance	56 – 305 mm
Image Sensor	1 / 2.8 inch 230 Mega Pixel Color CMOS
Power	AC100–240 V
Weight / Dimensions	2.5 kg / 143 x 188 x 400 mm
Accessories	FHD Camera, LED Ring Light, Column for Lighting, Long Stand, Coarse Holder
Option	HDMI Cable, Image Capture Device, LED Ring Light (SKLS-A-1 / SKLS-110D)
Made in Japan	

4K DIGITAL MICROSCOPE SYSTEM

"4 times" high definition of full high definition. Images equivalent to high-end microscopes at this price! Equipped with high-resolution 4K lens, multi-function 4K camera and magnification 26x - 260x (* Magnification is a calculated value converted to a 17-inch monitor) with digital zoom function. Even with digital zoom (X2) Full HD resolution. Still images and videos can be saved and played back.

Item Code	105-072	
Magnification	26X - 260X *Magnification is a calculated value converted to a 17-inch monitor	
Field of View	15.0mm X 8.4mm(26X) 1.5mm X 0.8mm(260X)	
Working Distance	100mm	
Image Sensor / Pixel Size	1/1.8"CMOS /2.0μm X 2.0μm	
Other functions	Line display function, Measurement function, Still/video save/playback, Digital zoom	
Accessories	4K camera dedicated to 4K microscope, LED ring lighting, High resolution 4K zoom lens, Stand, Protective Cover	



INTERCHANGEABLE LENS LINEUP





Flash Magnifier M-100



Hand Grip Loui

Light LED Flash Loupe

lten

Mode Magn Weig Acces

Alfa Mirage Collection

Vol.10 / 12

WIDE VIEW ILLUMINATED MAGNIFIER

High specification lens illuminated magnifier from Japan. Spherical Aberration is very few and maximum magnifications 15X with wide view.

There are eight types of lens magnification 2X, 3X, 4X, 6X, 8X, 10X, 12X and 15X. Suitable for jewelry work, inspection work, soldering etc.

Multi-coated lens are available for 2X to 10X, which has less reflection on the lens surface.

Model	ENVL-B	ENVL-CF	
Arm / Type	Stand type	Free arm 680 mm / Clamp type	
Weight	2.2 kg (excluding lens)	2.5 kg (excluding lens)	
Lens	2X, 3X, 4X, 6X, 8X, 10X, 12X, 15X Choose your best lens magnification.		
Lights	LED with dimmer control (100-50%)		
Power / Consumption	AC100V, 240V / 11W		

Made in Japan

	8X	10X	12X	15X
>		•	-	
5 Iens	φ90 4 lens	φ90 4 lens	arphi 90, 5 lens with polarizing filter	arphi 70, 6 lens with polarizing filter
g	1300 g	1350 g	1670 g	1560 g
	\bigcirc	-	-	\odot
	0	0	-	_

FLASH MAGNIFIER M-100

Magnifier 10X with white LED light and scales of 0.5mm resolution. LED light makes bright viewing and easy for the observation.

Item Code	106-236
Magnification	10X
Lens	30 mm / Glass & Plastic
Weight / Dimensions	95 g / 52 x 180 x 47 mm
Battery	C size battery x 2
Made in Japan	

LED FLASH LOUPE

Easy to use with glass wide lens, 10X of 27mm and 15X of 21mm lens. LED light gives clear view anywhere.

n Code	106-087	106-161	
lel	R7519	R7526	
inification / Lens	10X / 27 mm	15X / 21 mm	
ght / Dimensions	42 g / 105 x 38 x 25 mm	50 g / 104 x 38 x 33 mm	
nt / Battery	White LED x 1 / AAA battery x 3		

HAND GRIP LOUPE

Hand-held type Loupe with rubber grip. Easy observation, inspection, quality control with 53mm big glass lens. Available 5X and 7X magnification types. Comes with strap to carry out.

n Code	106-325	106-326
lel	3005	3007
nification / Lens	5X / 53.5 mm	7X / 53.5 mm
ght / Dimensions	110 g / φ62 x 32 mm	120 g / φ62 x 32 mm
essories	St	rap

Made in Japan




GEMOLOGICAL

Loupe / Magnifier











HEAD LOUPE HAWK EYE

Light weight wide view and comfortable to wear for a long period of time. The lens angle can be adjustable to user's comfortable position. Also nose pad length can be set in 4 steps.

ltem Code	106-319	106-320	106-321	106-322
Туре	Standard		Long Focus	
Magnification	1.6X	2.0X	1.6X	2.0X
Working distance	250 - 350mm	200 - 300mm	290 - 390mm	240 - 340mm
Color (frame)	BI	ack	Win	e red
Weight	38g	41g	42g	45g
Size	133 x 167mm			

*Replacement lens available Made in Japan

BINOCULAR MAGNIFIER

Binocular magnifiers are designed to provide spectacle wearers with hands-free magnification. They are light weight, hands-free, and fit most eyeglass frames. Lens made of Acrylic resin.

ltem Code	106-259	106-260	106-261	106-262	106-263	106-264
Model	HF-10A	HF-10B	HF-10C	HF-20A	HF-20B	HF-20C
Magnification	2.0X	2.5X	3.0X	2.0X	2.5X	3.0X
Weight	36.5 g	38.5 g	41.5 g	19 g	21 g	24 g
Style	G	Glasses Frame			Clip on	·
Item Code	106-26	106-269		106-27	0	
Model	HF-10A	HF-10ABC (3 LENS SET)		HF-20A	BC (3 LENS	S SET)
		· ·				

*Replacement lens available Made in Japan

HAZUKI LOUPE

Hazuki loupes are durable and stylish magnifier that are surprisingly lightweight. 3 styles of frame, and 10 different colors, and 3 magnifications (1.32X, 1.6X and 1.85X) are available.

Туре		Large		C	ompac	t	Co	ol
Magnification	1.32X	1.6X	1.85X	1.32X	1.6X	1.85X	1.32X	1.6X
Color (frame)	Red, Purp	Red, Purple, Black, White, Titanium color, Pearl, Ruby, Black gray, Brown, New purple				w purple		
Weight	22 - 27.5g		18	3.3 - 22.6	ģ	16 - 1	9.5g	
Size	145 x 45mm		14	12 x 35m	nm	142 x 2	7.3mm	
Made in Japan								

HAZUK

SHEET LENS


Sheet lens in your wallet, in your book as bookmarker. Useful when you just want to see the letter or details bigger. They come with case to prevent scratches.

Item Code	106-095	106-303	106-304	106-305
Model	No.018-A	No.100 Brown	No.100 Black	No.100 Blue
Magnification	3.5X			
Material	PVC			
Size (mm)	85 x 55 x 0.4 47 x 100 x 0.4			
Made in Japan				

GEM ZOOM U CAMERA LENS FOR SMARTPHONE

Camera attachment lens with 12 white LED lights for smartphone, comes with 10X macro lens and wide view lens. Suitable for taking crisp and clear macro photography and videos of diamond, gemstone with 10X micro lens. And, wide view lens is suitable for jewelry, and watch. White and cool LED lights (5500k) can be adjusted and controlled.

Item Code	106-268
Lens	10X Micro lens, 0.6X Wide view lens
Weight / Dimensions	36 g / 65 x 95 x 25 mm
Fits for	All smartphones and tablets (iPhone, iPad, Galaxy, and Android)







Diamond Inscription Loupe 25X

HEART & ARROW VIEWER GS PET

lten

Produ Made in Japan

HAPPY EGG (DIAMOND RING CASE & ARROW VIEWER)

options. Color lter

Color Happy Egg

Vol.10 / 13

Vol.10 / 14





SCALE LOUPE

se and easy measurement by Scale Loupe. Various purposes as well as	
h measurement. It has clear and coated Japanese glass lens.	

n Code	106-032	106-033
lel	No.5055	No.5056
nification	10X	15X
ement / View	0.1 mm / 25 mm	0.1 mm / 12 mm
ens	S200	S100

Optional Lens

n Code	106-121	106-122	106-123
lel	No.201	No.202	No.204
licable	No.5055		

Made in Japan

CARAT ESTIMATION SCALE LOUPE

Lens has mm scale and ct measures. You can estimate the size of stone even mounted on ring. Following the manual formula, you can have more precious carat estimation.

n Code	106-177
suring Range	0 - 11 mm (around up to 5 ct)
nification / Lens	10X / Triplet
ght / Size	17.4 g / φ21 x 33 mm
lication	Round, Oval, Heart shaped, Baguette-cut etc

DIAMOND INSCRIPTION LOUPE 25X

Loupe for checking the leaser inscription on girdle of diamond. Ring can be set on the holder or use stone holder for loose stones.

ltem Code	106-237	106-238	
Body Color	Red	Blue	
Magnification	25X		
Lens	12 mm / Triplet		
Weight / Size	85 g / <i>φ</i> 40 x 100 mm		
Option	Stone Holder Ring 10	6-239 (S) / 106-240 (L)	

You can see the Hearts & Arrow of brilliant cut Diamond. Used high quality Japanese made clear lens.

n Code	106-018	106-029
duct Name	GS pet	GS pet mini
la in Janan		

Egg shape diamond ring case. Also, arrow of brilliant cut diamond can be seen through top of the case. New colors released and there are many color

n Code	106-015	10	6-016	106-01	7	106-289
or	Silver x Blue	Silver x White		Silver x Pink		Silver x Gold
n Code	106-290		106-29	4	106	5-295
or	Silver x Red		Gold x R	ed	Gol	d x Gold



GEMOLOGICAL

Loupe / Magnifier

Loupe 8800 Series

Loupe 6011 Series



Loupe RUPER Series

Linen Tester

LOUPE 8800 SERIES

Most popular 10X, 18mm triplet jewelry loupe throughout the world. Clear and easy focus Japanese lens helps your operation. Loupe 8800 series has been one of the most favor products for ALFA MIRAGE customer for many years.

Item Code	106-023	106-022	106-024
Model	8800-S	8800-B	8800-SB
Magnification	10X		
Lens	18 mm / Triplet		

Made in Japan

LOUPE 6011 SERIES

The traditional hexagonal loupes from Japan. Wide lens 20.5mm view for easy inspection of diamond, gem and jewelry. Clear and easy to see with Japan-made triplet lens.

Item Code	106-020	106-021	106-028
Model	6011-B	6011-SB	6011-M
Magnification	10X		
Lens	20.5 mm / Triplet		

Made in Japan

LOUPE RUPER SERIES

Reasonable and high quality guaranteed. Distortion free double glass loupes.

ltem Code	106-025	106-026	106-027
Model	R10-3	R21-3	R31-3
Magnification	10X	10X	8X
Lens	15 mm / Double	21 mm / Double	28 mm / Double
Made in Japan			

LOUPE LINEN TESTER

Linen Tester is in big demand among stone cutting designers worldwide. Easy focusing single lens loupe.

Item Code	106-007	106-008	106-009
Model	A10-2	A20-2	A30-2
Magnification	10X	8X	6X
Weight / Size	15 g / 10 x 10 mm	27 g / 15 x 15 mm	42 g / 25 x 25 mm
Made in Japan			

LOUPE 30X

30X high magnification loupe enables you to read description of diamond airdle.

Item Code	106-144
Model	ALA-30
Magnification	30X
Lens	8 mm / Achromatic
Weight / Dimensions	24 g / 40 x 21 x 19 mm

Loupe ALA-30 Made in Japan

MAGNIFYING LENS / LOUPE

Small magnifier in your pocket. Economical single glass lens.

Item Code	106-306	106-307	106-308
Model	No.220	No.7850	No.7860
Magnification	3.5X	4X	4X / 7X (2 pcs of 4X)
Lens	36 mm	30 mm	30 mm
Mado in Japan			•

Made in Japar



Loupe AMC 10X

lten

Magr Lens Weigl Made in Japan

Loupe Nikon 10X

Item Magr Lens Resol

LOUPE

Jewelry Magnifier from SmartPro is an excellent tool to have on hand when you need to examine small detail on coins, stamps, and jewelry. The coated lens delivers a sharp, clear image Perfect accessory for the hobbyist and pro who needs to assess the smallest details. Iter



lten Mode Magn Lens



LED Loup

Alfa Mirage Collection

No.220

No.7850

No.7860



















LOUPE AMC 10X

ALFAMIRAGE

Quality loupe from AMC. Super clear lens for observation, evaluation of the Diamond and Gem. 10X magnification power hexagonal loupe.

Item Code	106-329 106-330		
Model	MRL-2206-S MRL-2206-B		
Magnification	10X		
Lens	22 mm / Triplet		
Weight / Dimensions	39 g / 60 x 28 x 25 mm		

LOUPE NIKON 10X

World's well-known brand for camera and optics producing this high quality jeweler's loupe. Nikon triplet 10X, 13mm diameter loupe provides edge to edge viewing without any distortion.

n Code	106-001
nification	10X
s / Focal Length	13 mm / Triplet / 25 mm
ght / Dimensions	15 g / 42 x 24 x 16 mm
la fue la serie	

LOUPE PRO 10X

Developed as high-end Jewelry loupe, with high class Steinheil Triplet lens. Lens is non-coated and small color difference can be distinguished.

n Code	106-072
nification	10X
5	18 mm / Triplet (Steinheil) High class glass lens (Non-coat)
olving Power	More than 67 pcs / mm
o in Janan	

Made in Japan

m Code	106-331	106-332
gnification	10X	14X
s	16 mm / Achromatic	11 mm / Achromatic
ght / Dimensions	15.6 g / 20 x 48 x 18 mm	10 g / 16 x 40 x 17 mm

LOUPE eye PRO LED

Loupe with LED lights MRL series. Easy inspection with detail parts with LED light. It comes with battery lid open jig.

n Code	106-063	106-073	106-074
lel	MRL-106	MRL-144	MRL-204
nification	10X	14X	20X
5	18 mm / Achromatic	11 mm / A	chromatic
ght / Dimensions	60 g / 25 x 82 x 19 mm	31 g / 21 x 70 x 19 mm	30 g / 21 x 70 x 19 mm
ery	LR926 battery x 3		



SOFT TIP TWEEZERS D-MASTER

ALFAMIRAGE

Soft tip tweezers, made of elastomer, can hold gemstones and diamonds tightly without superfluous power and any scratches. Ideal for jewelers and gemologists to handle fragile and precious stones. Suitable for working with melee diamonds, tapered diamonds, diamonds, other gemstones up to 3 carats, small watch parts and more. Also, D-master is electrostatic discharge tweezers, suitable for working with Watch parts, IC, and Glass parts as well. The tip can be replaced once it is consumed or lacked.

Item Code	401-062
Material of Tip	Elastomer
Hardness of Tip	80 %Shore A hardness
Width of Tip	1.5 mm (Opening width 10 mm)
Weight / Size	17 g / 125 x 10 mm
Option	Replacement Tip (401-063)
Made in Janan	· ·

REGINE TWEEZERS

Swiss made high quality jewelry tweezers. INOX is used for rust proof. All tweezers Length 160mm (Pearl Tweezers 147mm).

		<u> </u>	,, ,	•				-
lter	n Code	Model	Tip	Style	Item Code	Model	Tip	Style
40	1-039	XF	Extremely Thin / 0.4 mm		401-011	M1	Thin & Grooved	
40	1-004	F	Ultra Thin / 0.6 mm	- #1998/01/01/01/01	401-012	L1	Mid & Grooved	·· • •
40	1-005	М	Thin / 0.9 mm		401-013	XL1	Thick & Grooved	
40	1-006	L	Mid / 1.2 mm		401-014	XXL1	Ultra Thick & Grooved	
40	1-007	XL	Thick / 1.8 mm		401-008	BF	Ultra Thin & Black	
40	1-001	MR	Thin & Stopper	- Gu	401-009	ВМ	Thin & Black	
40	1-002	LR1	Mid, Stopper & Grooved	.Gu	401-010	BL	Mid & Black	
40	1-003	XLR	Thick & Stopper	Gu	401-015	PEARL	Resin Coated	





GEM TWEEZERS

Stone holders are spring-loaded with contracting wire jaws for examining gemstones or other small items. The holders have 4-prong jaws for gripping gemstones.

Item Code	401-019
Weight / Length	16 g / 120 mm

STONE SHOVEL

Colored black and you can see easily even small melee diamond. Essential tools for stone dealers.

ltem Code	401-059	401-060
Model	Black Small	Black Medium
Dimensions	53 x 37 x 16 mm	80 x 60 x 18 mm

MEASURING Balance | Gauges / Calipers



Compact Carat Balance MR-260C



Mode Weig Unit Weig Pow Acce

FX-700CT Optio

A&D COMPACT BALANCE EK-I SERIES

Compact digital balance. Available 3 modes (g, piece, %) with one-touch switching. Come with RS232C. The comparator function displays HI/OK/LO.

Mode Weig Mode Weig Weig Dime Acces

EK-600i

A&D COMPACT BALANCE HL HT SERIES

Battery-powered, lightweight, and compact digital balance. Easy to carry around.

Mode Weig Weig Pow

HL-2000i Optic



Display (carat)

Display (gram)

ALFA COMPACT CARAT BALANCE MR-260C

High performance carat balance MR-260C with latest load cell sensor can weigh up to 260ct with a minimum display of 0.001ct. It features detachable windshield and large display with backlight for easy viewing. Compact, lightweight carat balance is suitable for exhibitions because it can be also battery operated.

Item Code	202-012
Model	MR-260C
Weighing Capacity (ct, g, mom)	0.001 - 110 ct / 0.01 - 260 ct 0.0002 - 22 g / 0.001 - 52 g 0.0001 - 5.87667 mom / 0.0005 - 13.8665 mom
Function	Change unit, Calibration, Auto-off, Battery Indicator, Backlight, Calibration Report Print (Need Printer)
Power Supply	AC100-240V or AA battery x 4
Weight / Dimensions	1 kg / 209 x 190 x 114 mm / $arphi$ 50 mm (Measuring Plate)
Accessories	Gem tray, Windshield, 50 g Calibration Weight, AC Adaptor

A&D CARAT BALANCE

FX-i series is a highly robust precision balance that delivers fast and accurate weighing without any frills, offering cost-effective solutions. Realize a stabilization speed of just 1 second while maintaining extremely high span stability. Unit displays are available in ct, g and mom.

m Code	202-012
del	FX-700CT
ghing Capacity	0.001 - 760 ct / 0.001 g - 152 g
Display	ct, g, mom
ght / Dimensions	3.4 kg / 198 x 294 x 315 mm
er Supply	AC100-240V
essory	Gem tray x 2, AC Adaptor
ion	Calibration Weight

n Code	201-034	201-035	201-036	201-037	201-038
lel	EK-300i	EK-600i	EK-1200i	EK-2000i	EK-3000i
ghing Capacity	0.01 - 300 g	0.1 - 600 g	0.1 - 1200 g	0.1 - 2000 g	0.1 - 3000 g
le / Power Supply	g, pieces, % / AC100 - 240V				
ghing Pan Size	φ 110 mm	m 133 x 170 mm			
ght	1.1 kg	1.3 kg 1.5 kg			
ensions	190 x 200 x 53 mm				
essory	AC Adaptor				

n Code	201-039	201-040	201-041	201-042
del	HL-200i	HL-2000i	HT-500	HT-5000
ghing Capacity	0.1 - 200 g	1 - 2000 g	0.1 - 510 g	0.1 - 5100 g
ght / Dimensions	500 g / 130 x 192 x 51 mm		550 g / 136 x	195 x 44 mm
er Supply	AA battery x 4			
ion		AC Ad	lapter	



MEASURING

Gauges / Calipers











OUICK DIGITAL GAUGE MRG-25

Easy, quick, accurate measurement. Not only diamond and color stones, but also pearls and small objects. Measuring tip has flat face against table, so that very small piece of object, even melee diamond can be measured the thickness easily. Also it has spring force at measuring point, it allows anybody to measure without error. Measuring range from 0.01mm to 25mm. Unit shows both mm and inches.

Item Code	203-079
Model	MRG-25
Measuring Range	0.01 -25 mm / 0.0005 - 1 inch
Unit	mm / inch
Resolution / Tolerance	0.01 mm / ±0.02 mm
Response Speed	1500 mm/sec.
Weight / Dimensions	150 g / 35 x 138 x 21 mm
Battery	CR2032 battery x 1
Accessories	Case, Test battery

ELECTRONIC GEMSTONE GAUGE (PEGG)

Gemstone gauge that measures dimensions of gemstones and estimates carat for round brilliant cut stones, quickly converts the dimensions in millimeter to the carat by pressing the button. Also, can measure the depth of mounted stones with attachment.

Item Code	203-091
Measuring Range	0.01 – 25 mm
Resolution / Tolerance	0.01 mm / ±0.02 mm
Weight / Dimensions	110 g / 61 x 97 x 16 mm
Battery	CR2032 battery x 1

GEM COMPUTER GAUGE (PGCG)

Gem Computer Gauge that measures dimensions of gemstones and estimates carat for 9 different cuts and 74 gemstones. Can measure both loose and mounted stones. The date can be stored itself and output to PC. Additionally, including functions such as S.G dictionary and calculator.

Item Code	203-092
Measuring Range	0.01 – 25 mm
Resolution / Tolerance	0.01 mm / ±0.02 mm
Weight / Dimensions	120 g / 61 x 100 x 20 mm
Battery	CR2450 battery x 1

THICKNESS GAUGE FILM MASTER

Measures extra thin sheet material with a precision of 0.001mm. Suitable for measuring a wide range of materials such as paper, film, wire, sheet metal, plastics, and more. Also measuring point pressure has set 0.6N so that soft material can be measured properly.

Item Code	203-042
Measuring Range	0 - 10 mm
Resolution / Tolerance	0.001 mm / ±0.003 mm
Measuring Pressure	0.6 N
Weight / Dimensions	280 g / 120 x 135 x 35 mm
Battery	SR44 battery x 1
Made in Japan	



AMC Digital Caliper AMDC-100 a









Mode

lter Produ

Iter Mod Meas Reso

Batte

19981

DIGITAL CALIPER SOLAR / BATTERY DUAL POWERED

It is a solar panel and lithium battery dual power supply system. When the ambient illumination is 200 lux or more, the solar panel reduces battery consumption.

Body Meas Resol Weig

AMC DIGITAL CALIPER

This steel digital caliper delivers excellent accuracy and features jaws that measure inside diameter and outside diameter from 0-100mm. The caliper has a resolution of 0.01mm, and has a zero set button, making easy work of relative measurements. Smooth movement and lock make it easy to adjust to your desired measurement. Assembled in China.

Item Code	203-095
Model	AMDC-100 a
Measuring Range	0.01 - 100 mm
Resolution / Tolerance	0.01 mm / ±0.03 mm
Weight / Length	120 g / 170 mm
Battery	CR2032 battery x 1

MITUTOYO DIGITAL CALIPER

Mitutoyo's worldwide popular high performance digital calipers.		
203-078	203-077	
CD-15APX	CD-10APX	
0.01 - 150 mm	0.01 - 100 mm	
0.01 mm	/ ±0.02 mm	
162 g / 233 mm	143 g / 182 mm	
SR44 battery x 1		
	203-078 CD-15APX 0.01 - 150 mm 0.01 mm 162 g / 233 mm	

Made in Japan

A&D DIGITAL CALIPER

A&D CO LTD, Japan produced budget price Digital Caliper. Smooth movement and constant repeatable readings.

Item Code	203-076
Model	AD-5764A-150
Measuring Range	0.01 - 150 mm
Resolution / Tolerance	0.01 mm / ±0.03 mm
Weight / Length	165 g / 235 mm
Battery	CR2032 battery x 1

n Code	203-096	203-097
del	19983	19981
y Material	Stainless	Carbon
suring Range	0.01 - 150 mm	0.1 - 150 mm
olution / Tolerance	0.01 mm / ±0.03 mm	0.1 mm / ±0.3 mm
ght / Size	160 g / 235 mm	59 g / 237 mm

PEARL SCALE & PEARL GAUGE

Analogue and manual traditional styles still are loved. Compact, portable, and reliable.

Item Code	203-019	203-020
Product Name	Pearl Scale	Pearl Gauge
Measuring Range	0.1 - 20 mm	0.1 - 50 mm
Weight / Size	96 g / 100 x 53 mm	34 g / 73 x 20 mm
Maida in Janan		•







MEASURING

Gauges / Calipers







CARD SIZE CALIPER

Thickness 0.3mm stainless caliper in card size. Easy to carry out. Can measure outer diameter, inner diameter, and depth. Additionally, can measure root diameter, interspace length with its thinness and arclength with its flexibility.

Item Code	203-053
Measuring Range	0 - 50 mm / 50 - 100 mm (Length only)
Resolution	0.05 mm
Material	Stainless
Weight / Dimensions	6 g / 86 x 54 x 0.3 mm
Made in Japan	

MITUTOYO VERNIER CALIPER

Traditional and best quality Vernier Caliper. Item Code 203-080 203-081 N-15R (530-102) Model N-10R (530-100) Measuring Range 0 - 100 mm 0 - 150 mm Resolution 0.05 mm Made in Japan

MINI CALIPER 70 MM

Compact, precise caliper. Range up to 70mm, outside and inside diameter, depth and level height measurement.

Item Code	203-059
Model	19892
Measuring Range	0 - 70 mm
Resolution	0.05 mm
Material	High Carbon Steel
Weight / Length	25 g / 110 mm

CALIPER PLASTIC

MINI Caliper 19892

Compact, light-weight, tough, made of polycarbonate. No damage to measuring object. Useful for Pearl measurement.

Item Code	203-072	203-073
Measuring Range	0 - 70 mm	0 - 100 mm
Resolution	0.1 mm	

TWO ARMS PROTRACTOR MINI

Compact size protractor for angle and length measurement and angle markings. Running in both directions (0°- 180°) with 10cm rule. Stainless steel, chrome-plated, matt surface with deep-etched scale enables excellent durability.

Item Code	203-089
Angle pitch size / Blade size	φ40 x 1.0 mm / 120 x 1.0 mm
Material	Stainless Steel
Weight	20 g
Made in Japan	

AMC Dia nd Gauge DG-03



MKS Diamond Gauge







Produ Mode Туре Ring S Made in Japan

This handy gauge enables you to estimate the carat of various shapes of diamonds from its diameter and shape. It works for Round Brilliant 0.01-3.0ct (19 types) stones as well as Pear Shaped, Oval, Emerald and Square 0.25-1.0ct (4 types). Card sized gauge fits in every wallet, card holder and easy to carry out. Very useful for carat estimation, business and buying diamonds.

Mode Meas

Ruler Mate Dime Acces

MKS DIAMOND GAUGE

case.

Meas Size

ECONOMY DIAMOND SIEVES

case. Dian Plate

AMC NECKLACE & BRACELET GAUGE

Put the gauge on the neck or wrist to measure the most suitable length of necklace or bracelet. It has gauge increments of 1cm. Very useful and good demonstration for having customs length order.

Produ Size Incre Weig



AMC DIAMOND GAUGE

ALFAMIRAGE

n Code	203-090
del	DG-03
isuring Range	Round Brilliant 0.01 - 3.0 ct (19 types) Pear Shaped, Oval, Emerald and Square 0.25 - 1.0 ct (4 types)
er	0 - 80 mm
erial	Stainless Steel
ensions	85 x 54 x 0.3 mm (card size)
essory	Plastic card case

Made in Japan

Tiny size Diamond gauge. Can put together with loupe or put in wallet or card

Item Code	203-044
Measuring Range	0.01 - 1.0 ct
Size	40 x 13 mm
Made in Japan	

This set contains 43 plates sizes 000-20. Each set is supplied with a leather

n Code	203-032	203-033
neter	50 mm	70 mm
e	43 pcs	43 pcs

n Code	203-084	203-083
duct Name	Bracelet Gauge	Necklace Gauge
	14 - 26 cm	30 - 85 cm
ement	1 0	m
ght	10 g	30 g

JAPANESE RING STICK AND GAUGE

Japanese size most popular ring sticks and gauges.

n Code	203-004	203-082	203-010
duct Name	Ring Stic	k Gauge	Ring Gauge
del	40030	40031	40610
e	Aluminum	Plastic	Half Round
g Size	No.3-27	No.3-27	No.1-30

BENCH TOOLS Cutter / Pliers | Hand tools | Abrasives / Polishing Buff | Bur / Point | Machinery





BENCH TOOLS

Cutter / Pliers










ALFAMIRAGE




AMC WA-NIPPERS UT

New Wa-nippers UT-125 are designed and developed for especially jewelry

making. It realized both the cleanly cutting surface, and durability. Compact 125mm body size can handle easily for precise works. You can enjoy sharp cutting and save time for next processing.

Item Code	301-166
Model	UT-125
Cutting Capacity	Copper Wire 2.0 mm
Material	S58C
HRC	56 - 64
Weight / Length	80 g / 125 mm
Made in Japan	





AMC WA-NIPPERS MJ


"Wonderful Cutting Feeling" & "Beautiful Cutting Surface" Regular item but we pursuit until the specification limits! Last finish by Japanese Artisan brings wonderful cutting feeling! Coiled spring enables easy and continuous operation.

Item Code	301-140	301-141
Model	MJ-15F	MJ-15
Material	S58C	S58C
HRC	52 - 60	56 - 64
Weight / Length	150 g / 150 mm	155 g / 150 mm
Made in Janan	1	•

3 PEAKS NIPPERS SN-130

Compact, sharp tip and high cutting capacity nippers. Excellent work for thin stainless wire or piano wire. Master craftsmen are sharpening the tip one by one.

Item Code	301-018
Model	SN-130
Weight / Length	90 g / 133 mm
Cutting Capacity	Iron Wire 2.0 mm
Made in Japan	



TOP ELECTRO NIPPERS

TOP Electro Nippers are mainly applicable to sophisticated electronics, watches, jewelry, goldsmith etc. Comfort grip with special blade enables you to work easily. Stainless steel blades excel for rust and wear resistance.

ltem Mode Weigl Cuttir Made in Ja

Top Electro Nippers ENI-115

MICRO NIPPERS NS-06

One of the most popular nippers in Japanese jewelry market with reasonable price and its performance. Item

Mode Weig Cuttir Made in Japan

Micro Nippers NS-06

XURON NIPPERS

A strong and durable nippers that are ideal for jewelry making, wire crafts and various use. Micro-Shear Flush cut is designed to cut metal leaving a flush finish cleanly and smoothly . lten

Mod



lten Mode Blade Weia Cuttir



Alfa Mirage Collection

Vol.10 / 23

N-55



3 PEAKS NIPPERS / EDGE CUTTING NIPPERS

Compact, light, and sharp tip nippers with elastomer grip which fits in the hand well. SM-01 is suitable for fine works due to its compact size. SM-06 has the blade with angle of 42 degrees and fine tip, suitable for cutting in narrow areas where regular nippers can't cut.

Item Code	301-021	301-051
Model	SM-01	SM-06
Weight / Length	55 g / 100 mm	55 g / 115 mm
Cutting Capacity	Copper Wire 1.6 mm	Copper Wire 1.0 mm

Made in Japan

n Code	301-100	301-146
lel	ENI-115	ENI-100
ght / Length	45 g / 115 mm(White color handle)	50 g / 108 mm(Red color handle)
ing Capacity	Copper Wi	re 1.2 mm
le in Japan	•	

n Code	301-012
lel	NS-06
ght / Length	52 g / 105 mm
ing Capacity	Copper Wire 0.8 mm
a in Janan	r

n Code	301-068	301-069	301-070
lel	2175	9200	170 II
ght / Length	91 g / 150 mm	64 g / 135 mm	54 g / 130 mm
ing Capacity	Soft Wire 1.6 mm		Soft Wire 0.8 mm

HOZAN PRECISION NIPPERS

ESD safe precision nippers for fine copper wire.

N-55: The blade tip is thin and suitable for work in narrow spaces.

N-57: The blade is thicker than N-55 and more durable.

N-58: N-57 with a lead stopper. It prevents debris from scattering and accidents.

n Code	301-023	301-024	301-025	
lel	N-55	N-57	N-58	
le Type	Full-Flash Cut	Semi-Flash Cut		
ght / Length	40 g / 105 mm			
ing Capacity	Copper Wire 1.0 mm		Copper Wire 0.18 - 0.8 mm	





GN-200J






3 PEAKS GREEN CUTTERS

Reputable in the world Jewelry market. High quality Jewelry cutters for casting tree. Perfectly shaped tip-end which goes inside of the casting tree easily. Blade is made of special steel, has outstanding cutting and durability with rational sharpening and perfect heat treatment. Handle open with spring structure, and you can operate with one hand easily. Blade opening width can be set with adjustment bolt and nat. 4 different blade types available for various tasks.

Item Code	301-015	301-016	301-084	301-017
Model	GC-200	GN-200	GN-200 J Type	EC-200
Weight / Length	270 g / 200 mm	255 g / 200 mm		
Cutting Capacity	Steel Wire 1.5 mm, Iron Wire 4.0 mm			
Made in Japan				



NILE SPRUE CUTTERS

Nile Sprue Cutter has established worldwide high reputation since it was produced for the first time in 1967. "Nile" air cutters help you to achieve higher productivity and remarkable cost saving in cutting jobs. Different types of replaceable cutting blades are available.

Cutter Body

Item Code	302-001	302-002	302-003
Model	MR20	MP25A	MP35A
Length & Diameter	140 mm / 45 mm	190 mm / 45 mm	268 mm / 56 mm
Power	140 kg	160 kg	450 kg
Air Pressure		5 - 6 kg / cm ²	

Accessories

Item Code	302-008	302-009	302-010	302-011	302-012
Product Name	Straight Hose	Curl Hose	Stand (MR20 / MP25A)	Stand (MP35A)	Foot Pedal
Model	UH-2	SE-40	- ,	-	FB-70S

Change Blade

Item Code	302-004	302-005	302-023	302-007		
Model	S5	EP10P	Z8P	S7P		
Application	MP25A/MR20	MP35A				
*Other change blades	are available.					

Made in Japan

STAINLESS STEEL PLIERS WITH RUBBER GRIP

Pliers with the colorful rubber grip are designed for detailed works and provide different nose shapes for various purposes depending on the situation. It is comfortable to use because of its unique return spring helps your work easily and always comes back to the open position.



301-006	301-007	301-008	301-075	301-076
No. 251	No. 252	No. 253	No. 253 No. 256	
Half Round	Round & Half Round	Round	Concave & Convex	caulking
135 mm / Blue	135 mm / Orange	135 mm / Yellow	135 mm / Black	160 mm / Green
301-077	301-086	301-0	87	301-088
No. 258	No. 251-N			No. 253-N
Flat	Flat (Nylon Cove	red) Round	& Flat (Nylon Covered)	Round (Nylon Covered)
140 mm / Gray	135 mm / Blue		m / Orange	135 mm / Yellow
	No. 251 Half Round 135 mm / Blue 301-077 No. 258	No. 251 No. 252 Half Round Round & Half Round 135 mm / Blue 135 mm / Orange 301-077 301-086 No. 258 No. 251-N	No. 251 No. 252 No. 253 Half Round Round & Half Round Round 135 mm / Yellow 301-077 301-086 301-0 No. 258 No. 251-N No. 251	No. 251 No. 252 No. 253 No. 256 Half Round Round & Half Round Round & Round Concave & Convex 135 mm / Blue 135 mm / Orange 135 mm / Yellow 135 mm / Black 301-077 301-086 301-087 No. 258 No. 251-N No. 252-N





Shap Weig

EDGE BENDER PLIERS

Quite useful when processing to make an angle as well as clamping the joint parts of a necklace and bracelet. The nose is designed in a triangular shape so that the power can be put on the point of application well.

n Code	301-092	301-091
duct Name	Edge Bender Mini	Edge Bender
pe	Short Nose Flat	Long Nose Flat
ght / Length	45 g / 130 mm	56 g / 160mm

Made in Japan

3 PEAKS PLIERS SM

Compact handy sized round nose and chain nose pliers. Perfect for precise works. Made in Sanjo, Japan.

Item Code	301-059	301-165			
Model	SM-08	SM-09			
Shape	Round nose	Chain nose			
Weight / Length		60 g / 115 mm			
Mada in Janan					



Prong Lifter




Ring Cutter



Craft Scissors Chikamasa







PRONG LIFTER

RING CUTTER

Weight / Dimensions

ideal cut for all users. Item Code

Weight / Length

Made in Japan

Item Code

Made in Japan

Item Code

Weight / Length

Blade Length

Made in Japan

Blade Open-width(tip)

Model

Size

safely.

Option

Item Code

ALFAMIRAGE

Pliers for taking the stones out from the ring. No technique is required. Stone will not be damaged. Long-seller item from Alfa Mirage.

Emergency ring cutting tool. It helps remove rings from fingers quickly and

69 g / 40 x 40 x 120 mm

Replacement blade (301-148)

Craft Scissors CHIKAMASA are an excellent choice for cutting hard-to-cut beading threads such as WildFire and FireLine featuring the strength and

hardness. Manufactured under beads accessory making expert's guidance.

Even though the edge is thin, they offer the sharpness and durability for an

301-147

301-132

30 g / 130 mm

CRAFT SCISSORS CHIKAMASA

METAL CUTTING SCISSORS

SOFT MATERIAL CUTTERS

can cut easily with light grip strength.

Replacement Blade / Plate X5 / PB-SX5

be used for many years by sharpening the blade.

301-137

301-104

170 g / 195 mm

SX5

24 mm

53 mm

115 x 45 mm (tip 20 mm)

Designed for cutting soft material, leather belt, leather products, rubber tube, cable cover, hose, wood, animal born, gardening trees etc. Blade and plastic plate can be replaced. Model SX7 has used ratchet mechanism, so that you

301-130

245 g / 230 mm


SX7


34 mm

65 mm

X7 / PB-SX7

Item Code	301-011
Weight / Length	102 g / 130 mm
Made in Japan	·









5 pcs

12 pcs 10 pcs

Thin Fil

UO-CHIKYU Precision Needle File



lten Mode Up-Ci Size

Iten

File Cleaner Wei

Hand-made exclusive metal cutting scissors which used Stainless (SUS420J2) with heat treatment. Works good for cutting thin metal sheet. You can feel the craftman's commitment to quality of the scissors from handle to tip. Can



Metal Cutting Scissors





Vol.10 / 27

BENCH TOOLS ____ Cutter / Pliers

Vol.10 / 28

DIE SINKER'S FILE

Universal type of file, cut easily, sharp, wide.

Length 215mm / 5pcs per pack

Type (mm)	Hand (11 x 3.5)	1/2 Round (12 x 3.8)	Round (<i>φ</i> 5.5)
Cut#2 (Green 2nd)	305-212	305-213	305-287
Cut#3 (Yellow Smooth)	305-215	305-216	305-290
Cut#4 (Black D.smooth)	305-218	305-219	305-293
Type (mm)	Sruare (5.5)	Triangular (9.0)	Flat-Tapper (11 x 3.5)
Type (mm) Cut#2 (Green 2nd)		Triangular (9.0) 305-289	1
	305-288	and the second s	

*Other sizes and shapes are available.

Made in Japan

UO-CHIKYU PRECISION NEEDLE FILE

Teeth / Set	5pcs (Φ3.9x200 mm)	8pcs (Φ3.4x180 mm)
#6 (standard)	304-248	304-250
#3	304-249	304-251
Teeth / Set	10pcs (Ф2.9x160 mm)	12pcs (Ф2.4x140 mm)
#6 (standard)	304-262	304-264
#3	304-263	304-265

Shape

Hand	1/2Round	Round	Square	3-Square	Barette
5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	
8 pcs	8 pcs	8 pcs	8 pcs	8 pcs	8 pcs
10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs
12 pcs	12 pcs	12 pcs	12 pcs	12 pcs	12 pcs
		۲		Å.	
Flat	Crossing	Knife	Ctolarad		11
That	Crossing	KIIIIe	Steigrad	Flat-Leaf	Hand-Leaf
		KIIIIe	Steigrad	Flat-Leaf	Hand-Leaf
8 pcs	8 pcs			Flat-Lear	Hand-Lear
		10 pcs 12 pcs	10 pcs 12 pcs	12 pcs	12 pcs

Made in Japan

THIN FILE

Thickness 0.5mm thin and flat file. Good for filing intricate design works or narrow space.

n Code	304-293		304-294	
lel	GY-1 (Fine)		GY-2 (Medium)	
Cut (per 25 mm)	128		70	
	1	40 x 4 mm / D	ressing 40 mm	
		-		

*No-coated file, so please stored in grease paper after used. Made in Japan

FILE CLEANER

Light weight with plastic handle File cleaner. Works great in removing small particles that clog teeth.

n Code	304-490
ght / Dimensions	20 g / 29 x 151 x 14 mm





Thin Diamond File Tip 90°








Ultra-Slim Diamond File "Microfinish"







THIN DIAMOND FILE

Ultra-thin Diamond electroplated file, which can get in and file the parts where any other tools cannot reach. Available from thickness from 0.3, 0.4 and 0.5mm, with 4 different diamond grits and 2 angle tips. File base is used strong, pliancy metal, and tip will not break easily. Tip can be set on Hand holder, Ultrasonic polisher or Hammering tools as well.

Thin Diamond File Tip

Item Code (22 degrees)	305-271	305-272	305-273	305-274	305-275
Item Code (90 degrees)	305-276	305-277	305-278	305-279	305-280
Thickness	0.3 mm	0.4	mm	0.5	mm
Grits	#800	#600	#400	#400	#200

Holder

ltem Code	305-286
Product Name	Holder for Thin Diamond File Tip
Weight / Dimensions	15 g / φ8 x 120 mm

ULTRA-SLIM DIAMOND FILE

Electrodeposition diamond files, Microfinish, round and square types and lineup with different sizes and grits. These extremely slim diamond files can get into small and narrow areas, intricately designed places, which hard to access with conventional tools. Both ends Diamond files, and can be set on Pin vise or Mechanical pencil.

Square Type

Size / Length 60 mm	#600	#800
0.5 mm (0.5 x 0.4 mm) 0.7 mm (0.6 x 0.5 mm)		305-246 305-248

Round Type

Size / Length 50 mm	#200	#400	#600	#800
φ0.3 mm	-	-	305-249	-
φ0.4 mm	-	305-250	305-251	305-252
φ0.5 mm	-	305-253	305-254	305-255
φ0.7 mm	-	305-256	305-257	305-258
φ0.9 mm	-	305-259	305-260	305-261
φ 1.0 mm	305-262	-	-	-
Made in Japan		-		

DIAMOND FILES

Needle files with industrial diamond into the surface on the file. It works well for fine, details with its small size files. Color-coded handles for fast, sure access to the one you need.

Item Code	304-266	304-267			
Model	TLD-5	TLD-4			
Length	Cutting surface 40 n	Cutting surface 40 mm, Length 100 mm			
Contents	5 Assortment (Flat, Half-round, Square, Triangle, Round)	4 Round shape (φ0.8, 1.0, 1.2, 1.5 mm)			
Mada in Janan					



Diamond Abrasive Sheet

Poliluster Sticks are made of ceramic abrasive stone. They have excellent polishing ability even under every strenuous condition. Non-clogging, and beautiful polishing result on all types of metals in small and detailed area. They can be used by hand with Hand holders, or in machining with Ultrasonic machine, Reciprocating electric tool. Color-coded in grit #120 to #1200 to identify easily.

Item Produ

Size Poliluster Stick & Holder Produ





Cera-Stone 2.35X50

Ceramic Fiber Brush

Iten Grit Outer



Electro-plated diamond abrasive sheets. Cuttable freely to your desired size with scissors or a knife. Used brass sheet on back, so it is soft and easy to handle. Also, it has adhesive, so you can attach and use it.

Item Code	304-465	304-466	304-467	304-468	304-469
Grit	#150	#200	#400	#600	#1000
Size	50 x 100 mm				

Made in Japan

POLILUSTER STICK

Item Code	304-297	304-298	304-299		
Product Name	Poliluster Stick Holder				
Size	2 mm 4 mm		6 mm		
Product Name	Poliluster Stick				
Dimensions	2 x 0.5 x 50 mm	4 x 0.5 x 50 mm	6 x 0.5 x 50 mm		
Grit	#120, #180, #300, #400, #600, #800, #1000, #1200				

Made in Japan

POLILUSTER PENCIL

Extra fine ceramic fiber makes it possible to bring luster by polishing detailed areas such as the corner, edge and chase of a ring just like drawing. It is improved long-life service. Refill with different sizes and grits are available. Pencil Set

l enen set		
Item Code	304-276	304-277
Model	0.5 mm set	0.9 mm set
Contents	Pencil, Polilu	ster #800 x 1 pc, #1200 x 1 pc

Pencil Poliluster Refill

· enten · ontabler ne							
Item Code	304-278	304-279	304-280	304-281			
Model	0.5 mm	0.5 mm (10 pcs)		0.9 mm (10 pcs)			
Grit	#800(Blue)	#1200(Red)	#800(Blue)	#1200(Red)			
Made in Japan							

CERA-STONE

Innovative color-coded abrasive in a variety of grits. It is made of alumina fiber, glass fiber and epoxy resin. Tough, less clogging and last long. Shape the tip with abrasive paper to polish detail parts and corner edge.

					J
Item Code	304-139	304-140	304-141	304-142	304-143
Grit	Brown #180	Orange #250	Black #280	N-Blue #360	L-Blue #400

Outer Diameter / Length	φ2.35 x 50 mm				
Item Code	304-144 304-145 304-146 304-1				
Grit	Green #500	Yellow #700	Pink #1000	Red #1200	
Outer Diameter / Length	φ2.35 x 50 mm				

Made in Japan

CERAMIC FIBER BRUSH

Latest ceramic fiber abrasives brush points. It has good resilience, and dose not expand during rotation. Fiber brush can get into the prong inside or decoration detail parts to polish. Appropriate rpm is 3000 to 10000 (maximum 15000rpm). Abrasive particles are on top of the tip. (Side of the brush cannot be used).

m Code	304-435	304-436	304-437	304-438	304-439	
sh Diameter	φ1.0 mm	φ1.5 mm	φ2.0 mm	φ2.5 mm	φ3.0 mm	
S	#1500 equivalent effect					
à		φ2.34 x 52	mm, Brush	15 mm		







Japanese Water Proof Abrasive Stick



Kovax Waterproof Abrasive Papers





SAND PAPER HOLDER

Just put your abrasive paper (approx. 76 x 41mm) around the stick and set. It can put not only abrasive paper, but also the cloth.

Item Code	304-326	304-325	304-382
Model / Type Dimensions	SPR-2 / Round 215 x φ8 mm	SPR-1 / Square 215 x 8 x 8 mm	SPR-3 / Round-Mini 215 x φ 5 mm
Made in Japan			

SANDING HOLDER

Paper abrasive, polishing cloth can be set on the holder. Plastic handle can help filing work easy.

Item Code	304-491
Size	270 mm, Abrasive 125 x 25 mm

JAPANESE WATER PROOF ABRASIVE STICK

Attached High-Quality KOVAX abrasive papers are pasted 5 sheets each on both sides of stick, in total 10 sheets. Dispose of each paper one by one after used. Just polish and then dispose it.

Item Code	304-226	304-227	304-228	304-229
Grit	#120	#240	#320	#400
One Side	5	5 sheets (Both Sides total 10 sheets)		
Size	Stick	Stick 18 x 250 x 7 mm Paper 18 x 145 mm		
Item Code	304-230	304-23	1 30)4-232
Item Code Grit	304-230 #600	304-23 #800		0 4-232
	#600		#1	000

KOVAX WATERPROOF ABRASIVE PAPERS

Japanese top quality waterproof Abrasive paper to professionals. Aluminum oxide made waterproof sheets with flexible backing archives excellent cutting power, and remains unchanged the operation efficiency from beginning to end.

Item Code	304-181	304-182	304-183	304-184
Grit	#120	#240	#320	#400
Size		230 x 280 mm		
Contents		100 pcs / pack		
Item Code	304-185	304-186	304-187	304-188
Item Code Grit	304-185 #500	304-186 #600	304-187 #800	304-188 #1000
		#600		

Made in Japan

POLISHING SHEET MICRO POLINET

Micro-Polinet is very flexible sanding cloth using ultra fine screen-mesh cloth (100 mesh). Screen-meshed structure prevents from clogging, and you can polish exact point by seeing through it. Both sides can be used. Also it works with water or oil as well as dry polishing.

		304-222	304-223	304-224	304-225
Color / Grit	Indigo Blue #600	Red #1000	Blue #2000	Light Orange #3000	Grass Green #4000
Size	210 x 280 mm			1	
Contents		25 pcs / pack			

Made in Japan




Satin Finish / Felt Sticks

lten Mode Weig Made in Japan

Sanding Rubber SABITO-RU











ltem Cont Clear

SATIN FINISH / FELT STICKS

Perfect for producing precious metals with a nice SATIN finish! The stick type makes it easy to polish by hand. The abrasive attached on both side of the stick. Available in 4 color-coded grades depending on a finish.

Item Code	304-470	304-471	304-472	304-473
Color	Brown	Green	Red	White
Grit	Coarse	Medium	Fine	Felt
Size	Stick 250 x 18 mm / Abrasive 130 x 18 mm			18 mm

SANDING RUBBER SABITO-RU

Making satin finish surface by rubbing off like eraser. Also, they can remove dirt or make surface smooth. Used widely in watch and jewelry market as well as home cleaning appliance.

n Code	304-412	304-411	304-410
lel (Grit)	#320 (Fine)	#120 (Medium)	#46 (Rough)
ght / Dimensions	40 g / 65 x 40 × 10 mm		
la in lanan			

AMC ULTRA SCRATCH REMOVER

Best solution for removing small scratches. Just apply it and wipe with soft clothes. Ultra-fine abrasive gives high luster finish just like a new. Very popular in the watch industry and often used for polishing watch windshields and watch bands. Suitable for the plastic, resin, metal, and acrylic glass. It also works well for soft materials like plastic as well as precious metal, gold, silver, PT and stainless.

Item Code	601-117
Model	USR-5
Contents	28 g
Use for	Metal, Plastic, Resin etc

Made in Japan

POLYWATCH POLISH KIT

Plastic Polish offers a simple and reliable solution for removing scratches from plastic watch crystal. The unique paste, proven over millions of uses, even removes deeper scratches. Glass Polish is a high-performance diamond polish for all mineral and sapphire glass watch crystals. It removes fine, small and medium scratches and can be used for a multitude of jobs: Watches, car, furniture, household, windows, and much more.

Item Code	601-115	601-116
Туре	Glass Polish kit	Plastic Polish kit
Contents	5g tube polyWatch, Polishing Cloth, Step-by-step instructions	1 syringe Repair Nr.1 (0.5 g), 1 syringe Finish Nr.2 (0.5 g), 1 polishing rod, 2 x 6 polishing strips, Step-by-step instructions

POLISHING PASTE GLANOL

Put a drop of Glanol on a dry cloth and clean gold, silver, etc. It is not only giving lustering but also serving as an antioxidant. During the production process, some people use for polishing, but others for cleaning up to get the dirt and rust away.

n Code	601-046
tents	100 g
ning Method	Wipe out with soft cloth





BENCH TOOLS

Abrasives / Polishing







POLISHING COMPOUND SAKURA

Super shine polishing compound debut!! Higher grade than Midori, Blue series polishing compound. Abrasive articles are even sizes and does not leave scratch on metal. Designed especially for Finishing high shine, removing small scratches quickly and giving excellent shine. Enjoy polishing with the highest quality polishing compound on your jewelry.

Item Code	501-050
Model	Sakura
Weight	150 g
Application	Super luster/ Super lustering/ Super mirror finish
Made in Japan	·

POLISHING COMPOUND MIDORI SERIES A ALFAMirage

Specially designed for mirror finish luster of Platinum, Gold and Silver. It gives beautiful high shine luster with its very fine grains. Another advantage is that you can finish buffing surface of metal clean without heavy stained black spot caused by buff heat so that you can just go on ultrasonic cleaning to finish. *Tips (Please try with self-responsibility)

Little amount of this dry and fine abrasive could be used for polishing pearl or after rhodium plated to finish surface smooth.

Item Code	501-040	501-046
Model	Midori	Blue
Weight	15	0 g
Application	Final / Lusterin	g / Mirror finish

Made in Japan

Sakura







POLISHING COMPOUND D-24 / D-36

Excellent medium dry compounds for silver, white gold and any white metals. D series have a composition with a very light cutting and high luster finish. D-36 works for stainless, titanium, and also plastic.

Item Code	501-011	501-012	
Model	D-24	D-36	
Weight	460 g	480 g	
Application	Lustering	Lustering	
Mado in Japan			

Made in Japan

POLISHING COMPOUND KOYO

High quality polishing compound helps productivity and good finish. ALOX-5: For final finish, to achieve a distinctive luster.

Green Rouge K-1: General purpose for preliminary finishing applications.


Item Code	501-002	501-003
Model	KOYO ALOX-5	KOYO Green Rouge K-1
Weight	320 g	480 g
Application	Final	Lustering
Manda in Jacon	•	

Made in Japan

A REPORT OF A REPORT

BUFF

High-quality Japanese buff made of high-end materials. There are two types depending on the polishing process. Unstitched Standard buff





Medium / Final Softer than green buff. Very popular among craftsmen for final finish. Excellent for silver, PT.

Item Code	Туре	Diameter (mm)	Hole Size (mm)	Ply
307-017	Unstiched	φ150	φ15	25
307-018	Unstiched	φ125	φ12.7	25
307-019	Unstiched	φ100	φ12.7	25
307-020	Stiched	φ150	φ15	25
307-021	Stiched	φ125	φ12.7	25
307-022	Stiched	φ100	φ12.7	25



Alfa Mirage Collection

Series *Polisi Item Mode

Model Weight Application Made in Japan

POLISHING COMPOUND NW SERIES

The finest compounds for polishing ultra bright finishing for platinum. NW Series are manufactured under strict quality control.

*Polishing must be done in steps in order to achieve best results.

n Code	501-015	501-016	501-017	501-018	501-019	501-020	501-021	501-022
ii couc	501 015	501 010	501 017	301 010	301 013	501 020	301 021	501 022
lel	#800	#1000	#1500	#2000	#2500	#4000	#6000	#8000
ght	400 g	400 g	400 g	400 g	300 g	230 g	230 g	230 g
lication	Fi	rst		Medium		Fine	Final	Super Shine

		S titched Stiffer than unst	itched buff	0
		PINK BUFF		
		Medium		
			an green bu	
-		medium fi	nish for PT, WG	i.
C 1	-			
em Code	Туре	Diameter (mm)	Hole Size (mm)	Ply
7-009	Unstiched	φ150	φ15	25
7-010	Unstiched	φ125	φ12.7	25
7-011	Unstiched	φ100	φ12.7	25
7-012	Unstiched	φ80	φ3	25
7-013	Stiched	φ150 π125	φ15 	25
7-014	Stiched	φ125 μ 100	φ12.7	25
7-015 7-016	Stiched Stiched	φ100 #80	φ12.7	25 25
7-010	Stiched	φ80	φ3	23
		CALICO BUFF		
		Mirror /	Final	
		Mirror /		
		Calico is fi	ine, weave, thii	
		Calico is fi Ideal for fi	ne, weave, thii nishing due to	resistance to
		Calico is fi Ideal for fi	ine, weave, thii	resistance to
m Code	Type	Calico is fi Ideal for fi polishing	ne, weave, thii nishing due to marks. Excellen	resistance to t for Gold, PT
	Type	Calico is fi Ideal for fi polishing Diameter (mm)	ine, weave, thii nishing due to marks. Excellen Hole Size (mm)	resistance to t for Gold, PT Ply
7-023	Unstiched	Calico is fi Ideal for fi polishing Diameter (mm) φ 150	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ15	resistance to t for Gold, PT Ply 25
7-023 7-024	Unstiched Unstiched	Calico is fi Ideal for fi polishing Diameter (mm) φ 150 φ 125	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ 15 φ 12.7	resistance to t for Gold, PT Ply 25 25
7-023 7-024 7-025	Unstiched	Calico is fi Ideal for fi polishing Diameter (mm) φ 150 φ 125 φ 100	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ 15 φ 12.7 φ 12.7	resistance to t for Gold, PT Ply 25 25 25 25
7-023 7-024 7-025 7-026	Unstiched Unstiched Unstiched	Calico is fi Ideal for fi polishing Diameter (mm) φ 150 φ 125 φ 100 φ 80	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ 15 φ 12.7 φ 12.7 φ 3	resistance to t for Gold, PT Ply 25 25
7-023 7-024 7-025 7-026 7-027	Unstiched Unstiched Unstiched Unstiched	Calico is fi Ideal for fi polishing Diameter (mm) φ 150 φ 125 φ 100	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ 15 φ 12.7 φ 12.7	resistance to t for Gold, PT Ply 25 25 25 25 25 25
em Code 7-023 7-024 7-025 7-026 7-027 7-028 7-029	Unstiched Unstiched Unstiched Unstiched Stiched	Calico is fi Ideal for fi polishing Diameter (mm) φ 150 φ 125 φ 100 φ 80 φ 150	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ 15 φ 12.7 φ 12.7 φ 3 φ 15	resistance to t for Gold, PT Ply 25 25 25 25 25 25 25
7-023 7-024 7-025 7-026 7-027 7-028	Unstiched Unstiched Unstiched Unstiched Stiched Stiched	Calico is fi Ideal for fi polishing Diameter (mm) φ 150 φ 125 φ 100 φ 80 φ 150 φ 125	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ 15 φ 12.7 φ 12.7 φ 3 φ 15 φ 12.7	resistance to t for Gold, PT Ply 25 25 25 25 25 25 25 25 25
7-023 7-024 7-025 7-026 7-027 7-028 7-029	Unstiched Unstiched Unstiched Unstiched Stiched Stiched Stiched Stiched	Calico is fi Ideal for fi polishing 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ15 φ12.7 φ12.7 φ3 φ15 φ12.7 φ12.7 φ3 φ15 φ12.7 φ3	resistance to t for Gold, PT. Ply 25 25 25 25 25 25 25 25 25 25 25 25
7-023 7-024 7-025 7-026 7-027 7-028 7-029	Unstiched Unstiched Unstiched Unstiched Stiched Stiched Stiched Stiched	Calico is fi Ideal for fi polishing Diameter (mm) φ 150 φ 125 φ 100 φ 80 φ 150 φ 125 φ 100	ne, weave, thin nishing due to marks. Excellen Hole Size (mm) φ15 φ12.7 φ12.7 φ3 φ15 φ12.7 φ12.7 φ3 φ15 φ12.7 φ3	resistance to t for Gold, PT Ply 25 25 25 25 25 25 25 25 25 25 25

Combination of high-grade chamois leather and soft flannel cloth. Excellent for PT and silver.

em Code	Туре	Diameter (mm)	Hole Size (mm)	Ply
07-035	Unstiched	φ150	φ15	25
07-036	Unstiched	φ125	φ12.7	25
07-037	Unstiched	φ100	φ12.7	25
07-038	Unstiched	φ80	φ3	25

MINI BUFF

BENCH TOOLS

Buff Bur / Point

Made in Japan



9	Unstitche Standard			Stitched Stiffer th	l nan unstitch	ed buff	For use wit	th mandrels	-	
MINI	GREEN BUFF			MINI PINI	K BUFF			MINI BLU	E BUFF	
Most popular standa finish for gold, silver,		Medium nt medium	Stiffer than g		f. Excellen	Medium t medium	Softer than craftsmen fo	5	, , ,	5
Item Code Type	Diameter	Contents	Item Code	Туре	Diameter	Contents	Item Code	Туре	Diameter	Contents
307-039 307-040 Sticher	ed φ20 mm	12 pcs 12 pcs	307-041	Unstiched Stiched	φ20 mm φ20 mm	12 pcs 12 pcs	307-043	Unstiched	φ20 mm	12 pcs
MINI C	ALICO BUFF		М	INI CHAM	OIS BUFF		MINI CH	AMOIS COI	MBINATIO	N BUFF
Calico is fine, weave, finishing due to resis Excellent for Gold, P	tance to polish		Chamois is so beautiful mirro PT.				Combinatior and soft fla silver.	5 5		1
Item Code Type	Diameter	Contents	Item Code	Туре	Diameter	Contents	Item Code	Туре	Diameter	Contents
307-044 Unstich 307-045 Sticher	ed φ20 mm	12 pcs 12 pcs		Unstiched	φ20 mm	12 pcs	307-047	Unstiched	φ20 mm	12 pcs

MINIATURE MANDRELS

Precision model Onoshima brand, quality miniature mandrels 2.34mm shank. Stable, no vibration, excellent for diamond, polishing disks, polishing buff, all precision works.

Item Code	Model	Style	Shape	Item Code	Model	Style	Shape
304-444		Regular	t	304-449		Regular	ж»
304-445		Reverse	t	304-450	Standard (Made in Korea)	Reinforced	t
304-446	Precision (Made in Japan)	1/2-head	¢	304-451		Large-head	t=
304-447		Large-head	+				
304-448		With-Cap					




MINI CHUCK

Tip metal has well and properly quenched and keep strength. Drill wobbling is minimum and make it possible for smooth and stable rotating, drilling works.

Item Code	304-356	304-357	
Bit size Shank	0.1 to 0.9 mm	1.0 to 1.5 mm 2.34 mm	
Made in Japan			





Roll Paper Point

Item Grit Cut Size

Item Grit Cut Size

PVA Point





ROLL PAPER POINT It has around 550mm length (450mm for #240) Japanese Aluminium oxide abrasive paper rolled up and it is marked different colors for different grits. Just tear off the paper after used. Save time and enhance working efficiency with high quality abrasive paper. Maximum speed of rotary hand piece less than 8,000 rpm. Item

Grit Size

DIAMOND DISK

High cost-performance Diamond disk. Good for cutting, polishing, and burring. Please use with miniature mandrel.

n Code	304-452	304-453	304-454	304-455	304-456	304-457
	#200	#600	#1200	#200	#600	#1200
	9	o 25 x 0.3 m	m	<i>q</i>	o22 x 0.1 mr	m

Made in Japan

Iten Grit Size

n Code	304-118	304-119	304-120	304-121	304-122	304-123
	#240	#320	#400	#600	#800	#1000
			φ11-15	x 27 mm		

Made in Japan

PVA POINT

Made from PolyVinyl Alcohol and much characterized by its sponge type structure. It has elasticity effect, providing smooth mirror finish without scratches and heat generation. Good for polishing Gold, Silver and PT, and at the same time it brings good shine. Works good especially silver mid to final finish.

n Code	304-001	304-002	304-003	304-004	304-005	304-006
	#120	#220	#320	#400	#600	#800
			Rou	ıgh		
			φ15 x	25 mm		
n Code	304-007			304-008		
	#1000			#1500		
	Medium			Medium-f	ine	
				25 mm		

Made in Japan

ZIRCONIA ROTARY CUTTER

Capable of cutting resin, wax, and plastic as well as creating a smooth surface. Zirconia has less heat generation during cutting, and good with heat sensitive materials. Can wash off the cutting dust with water.

Item Code	304-474	304-475	304-476	304-477	304-478	304-479
Model		Corn			Bullet	
Grit	Extra course	Medium	Fine	Extra course	Medium	Fine
Size			φ6x	14 mm		
Itom Codo	204 400	204 401	204 402	204 402	204 404	204 495
Item Code	304-480	304-481	304-482	304-483	304-484	304-485
Item Code Model	304-480	304-481 Cylinder	304-482	304-483	304-484 Slim-nose	304-485

Made in Japan

CUSHION POLISHER

Finishing polisher which made of nylon non-woven fabric with abrasive articles. Flexible form and can fit well with curve, flat, and inside. Long lasting with nylon fabric abrasives, less clogging, and easy to use. Good for making surface of metal, as well as satin finishing on jewelry.

Item Code	304-486	304-487	304-488	304-489
Grit	#180	#240	#320	#400
Color	Brown	Red	Red-purple	Green
Size	φ20 x 10 mm			
Material	Non-woven nylon fabric with abrasive			


Busch Jewelers Burs

BENCH TOOLS

Hand tools

Bur/

Saw







Saw Blade Case

Steel Bur Case

STEEL BUR CASE

Compact steel bur cases. Can store and pick up what you want guickly. Model CP20 has separate cell for each bur. Model Red places the sponge cushion.

Rusil

Item Code	304-462	304-461
Model	CP20	Red
Storage	20 pcs	19 pcs
Dimensions	100 x 65 x 13 mm	100 x 60 x 15 mm

SUPER Q SAW BLADE

The new Super Q Saw Blades features the "5S" technology...SUPER Flexible, SUPER Precision, SUPER Quality, SUPER Alloy and SUPER Sharpness! Look no further than Super Q Blades and you will be surprised how flexible this blade

305-199	305-200	305-201	305-20	305-2	03 305-20	4 305-205
#8/0	#6/0	#5/0	#4/0	#3/0	#2/0	#0
305-206 305-207 305-208 305-209 305-210 30				305-211		
#1	#2	#3	#4	ļ	#5	#6
	#8/0 305-206	#8/0 #6/0 305-206 305-20	#8/0 #6/0 #5/0 305-206 305-207 305-	#8/0 #6/0 #5/0 #4/0 305-206 305-207 305-208 30	#8/0 #6/0 #5/0 #4/0 #3/0 305-206 305-207 305-208 305-209	305-206 305-207 305-208 305-209 305-210



Saw blade case made of wood. Store your blades nicely without damage.

Item Code 305-284 Weight / Dimensions 20 g / φ 20 x 185 mm, Inner diameter φ 12 mm











Scriber Pen / Replacement tip



Mate

Try Square W / Brass Base

lten Mode Leng

SCRIBER PEN

Iter Mod Tip Weig

Small try square with steel blade and brass base fits into any pockets. Ideal for detailed work requiring accuracy. Good for marking 90-degree angles, testing right angle, marking straight lines, etc. Small hole for hanging on your bench. ltem

Vol.10 / 38

DRESSING STONE

Reshape the points for smooth surface or finer tip etc. Also good for cleaning and exposing the fresh abrasive particles.

Item Code	304-458	304-459	304-460
Model	Coarse	Medium	Smooth
Material	Silicon Carbide		
Dimensions	25 x 25 x 50 mm		

PRECISION PIN VISE

Used with burs, drills, reamers, and so on. There are 2 types of Pin vise: the "penetration type" which a drill can pass through so that the length of the drill can be adjusted, and the "storage type" which has 4 jaws inside the body.

Penetration type

Item Code	801-046 801-047 No.90 No.91 0.1 - 0.6 mm 0.1 - 0.9 m φ4.5 / 105 mm φ5.5 / 11			801-188	
Model Bit Size Dia. (Shaft) / Size				No.92 0.1 - 1.2 mm φ6.0 / 120 mm	
Storage type					
Item Code	801-192	No.98 No.98R 0.1 - 3.2 mm (4 Heads Sto			
Model Bit Size					
Dia. (Shaft) / Size		φ 10 / 102 mm			

Dia. (Shaft) / Size

Made in Japan

DIAMOND MARKING PEN

Utilizing the sharp edge with hardness unique to diamond, even very hard materials can be carved easily. From ceramics and glass, metal to plastic. You can draw on a wide variety of materials. For crafts including marking on glass, marking on molds etc.

m Code	304-417	304-418
del	Diamond Marking Pen Set	Diamond Marking Pen (Refill)
gth	132 mm	107 mm

Made in Japan

Scriber pen with replaceable Carbide tip. Tip can be stored inside the pen when you do not use. Carbide tip can be replaced easy.

Item Code	305-141
Model	Scriber pen C type
Tip	Carbide tip hardness 1,500 – 1,700 HV
Weight / Dimensions	12 g / 140 x 11 x 8 mm
Option	Replacement Carbide tip 2pc set (305-142)



TRY SQUARE W / BRASS BASE

ltem Code	305-268	305-269	305-270		
Material	Material Brass / Stainless Steel				
Weight / Dimensions 26 g / 45 x 39 x 6 mm 30 g / 60 x 44 x 6 mm 45 g / 75 x 53 x 6 m					



DIAMOND GRINDSTONE TOISHI

Sintered diamond grindstone for sharpening Carbide & HSS gravers, knife, ceramic etc. These can be used to shaping, adjusting the metal tools as well. Available grits #3000 and #6000.

Item Code	304-350	304-351
Model	Toishi #3000	Toishi #6000
Dimensions	70 x 20 x 10 mm / Dia	amond thickness approx. 1 mm
Made in Janan		

Can be used with micro grinder or flex shaft directly with shaft diameter

2.35mm. Diamond parts are resin-bonded and last longer than electroplated

diamond. Good for sharpening, shaping, smoothing your carbide tools,

hardened metal, knife, ceramic and stainless steel etc. Easy, faster, clean

#800

Durable, sharp, and small knives. Easy to hold and use. Suitable for intricate

and detailed work for wax modeling, craftwork, modeling, and hobby

Edge x Length (mm) 3 x 140 1.2 x 140 1.2 x 140 1.2 x 140 2 x 140 4 x 140 4.5 x 140

purpose. 7kinds of knives are available for the various purposes.

304-440 304-441 304-442

#1500

 φ 25 x 8 x 2.35 mm (Diamond thickness approx. 1.5 mm)

301-038 301-039 301-040 301-041 301-042 301-043 301-044

TK-01 TK-02 TK-03 TK-04 TK-05 TK-06 TK-07

Flat(L) Flat(S) Round(L) Round(S) Triangular Diagonal(L) Diagonal(S)

304-443

#3000

sharpening of your tools with mounted diamond grinding wheel.

#400

9000 rpm

DIAMOND GRINDING MOUNTED WHEEL


Diamond Grindstone TOISHI


Diamond Grinding Mounted Wheel



BENCH TOOLS

Hand tools







WAX CARVING SET

Item Code

Max. speed

Dimensions

Made in Japan

MICRO KNIVES

Item Code

Cutting Edge

Made in Japan

Model

Grit

Set of Spatula Wax-Carving tools for professional. Every single Spatula is professionally handmade. You will increase quality and production speed with this Professional Wax Carving Set.

Item Code	301-055
Contents	Spatula x 7 pcs(14 kinds), Wax Cutter x 4 pcs, Needle x 1 pc
Material	Quenched Steel



AMC WAX CARVER

Economical Wax carver with standard 6 kinds tips (3pcs).

Item Code	305-241
Size	φ4 x 170 mm
Contents	3 pcs of 6 tips



Item

Mode Temp Powe Size

Acces

Wax Carver 1013-B

HEATING PEN CH-1

Iten Max Weic Batte Optic

SOLDERING IRON

Low voltage soldering irons made in Japan. Light weight only 9g, and compact body 150mm can be used with AC/DC and battery as well.

Iter

Powe Temp Heati Weia

BOOK: WAX MODELING

Iter

Practical Wax Modeling

Cont





EUNTEE

Mode

Heating Pen

Soldering Iron



Basic Wax Modeling

WAX MODELI



WAX CARVERS

NEO1 : Digital temperatures control Wax carver, with 6 of LED temperature indications. Quick heat function is useful for start / immediate needs for higher temperature. Compact body, stable temperature makes wax works easy.

1013-B : Compact body, safely, reliable, stable temperatures control Wax Carver. Handpiece and cord are covered flexible silicon and you can use even long time without stress. LED indication blinks depends on set temperatures. Long seller model worldwide.

n Code	503-076	503-077	503-078	503-079	
lel	NEO1		1013-B		
perature	50 - 260 ℃		Up to	275 ℃	
ver		AC100-240	V 50/60Hz		
	Controller 86 x 56 x 19 mm, Handpiece 120 mm, Cord 1 m		Controller 50 x 65 x 41 mm, Handpiece 120 mm, Cord 1 m		
essory tip	Knife, Spoon, Straight	7 kinds tip set (Knife, Spoon, Straight, Carved Taper, Flat, Wide Flat, Large Spoon)	Knife, Spoon, Straight	7 kinds tip set (Knife, Spoon, Straight, Carved Taper, Flat, Wide Flat, Large Spoon)	

Made in Japan

Battery operates Heating Pen. Only 5 seconds to heat up and proceed to work. Tip thickness 0.3mm and easy to work with precision work. Replacement tip available as option.

m Code	503-069
kimum Heat	280°C
ght / dimensions	20 g / φ19 x 136 mm
ery	AA battery x 1
ion	Replacement Tip (503-070)

ltem Code	503-073
Model	MI-6-12V
Power / Consumption	11-12V AC/DC / 6W
Temperature	390 ℃
Heating Element	Nichrome Heater
Weight / Length	9 g / 150 mm
Made in Japan	

Basic Wax Modeling, 11 basic projects to teach the use of certain tools and types of waxes in progressive manner as one's skills improve. Practical Wax Modeling continues on with advance techniques and topics, building on the foundation of techniques and information presented in Basic Wax modeling.

n Code	801-186	801-446
tents	Basic Wax Modeling	Practical Wax Modeling

Printed in Japan





LEATHER FINGER GUARDS

PF1

dirt during the polishing work.

BRASS BRUSH 0.08mm

Item Code

Color / Material

Model

Size (mm) Contents

Item Code

Made in Japan

Item Code

Type

Brash Size

Made in Japan

Size

BRASS BRUSH

Wire

Size

Made of antibacterial Rubber. Protect your fingers in working process.

Item Code	601-053	601-054	601-055
Size Code	A	В	С
Inner Diameter	21.5 mm	18.5 mm	15.5 mm
Length / Thickness	52 / 0.4 mm	46 / 0.4 mm	40 / 0.4 mm
Contents	50 pcs / pack		

The finger guards made of cowhide. Protect your fingers from the heat and

PF2

Silver, Gold surface POLISHING brass brush. Used diameter 0.08mm fine brass

wire, so it brings shine without scratches. It works well with called, Chinese

soapberry or washnut from Sapindus mukorossi which contains the

Useful brass brush for both professional and home use. Suitable for various

polishing and cleaning tasks without scratching. For polishing and soft

3 Rows

70 mm

compound of saponin, which has natural cleansing properties.

130 x 45 x 28 mm

305-197

cleaning of brass, copper, and other metals.

2 Rows

70 mm

601-123 601-124 601-125 601-126

Gray / Cowhide

1 pc

Brass wire φ 0.08 mm / length 15 mm, 12 Rows, 23 Column

305-263 305-264 305-265 305-266 305-267

235 x 12 mm 235 x 15 mm 235 x 18 mm 215 x 40 mm 123 x 60 mm

70 mm

4 Rows | Tapered | Oval

95 mm

110 mm

φ15 x 60 (S) | φ20x 65 (M) | φ25 x 65 (L) | φ30 x 75 (LL)

PF3

PF4







Item Crocodile Screw Driver Mode



PRECISION SCREW EXTRACTOR

Item Mod

Mate Weig

Useful for removing stubborn stains and dirt from hands easily and for cleaning dirty items. Agave fiver is so absorbent that it foams very well. Also, it has excellent cleaning power due to strong texture and oil resistance. Comfortable grip for secure use.

Iten Mate Weid

Color Dime









Suitable for cleaning fine dirt with its tiny wires. When you put the brush tip in solution, tiny wires soak the solution up by capillary action. Soaked

solution is supplied to the brush tip during use. It helps to clean the dirt which is not cleanable without solution. Suitable not only for cleaning, but also for precision works such as smoothing and polishing at small area.

Item Code	305-117	305-118	305-119
Wire Material		Stainless 316L	
Wire Diameter	0.03 mm	0.05 mm	0.08 mm
Size		110 x 3.0 mm	
Made in Japan			

WIRE BRUSH



Alfa Mirage Collection



152 mn

Precision Screw Extractor

Optic

Made in Japan

your skin. ltem



Hand Wash Brush



Willian

PVC COATED LONG TWEEZERS

Long 255mm tweezers with the tip coated by PVC which has good durability and water-resistant, can hold jewelry tightly without any scratch. Suitable for retrieving jewelry from ultrasonic cleaners or holding jewelry when cleaning with steam cleaners. The long grip keeps your hands safely away from steam.

Item Code	401-064
Weight / Size	74 g / 255 x 11 mm

BAMBOO TWEEZERS

Never damage the gemstones. Good for holding Pearls with flat tip. Excellent insulation and chemical resistant.

Item Code	401-058	401-057	401-027
Length	200 mm	150 mm	180 mm (Flat tip)

CROCODILE SCREW DRIVER

Innovative screw driver can be used for both new screws and stripped screws. For stripped screws, press the screwdriver against it and hit with a hammer to create a new groove. The unique shape of tip bites into stripped screw and remove it easily. The tip has a magnet to catch screws securely. Crocodile handle for less slipping and comfortable grip.

n Code	301-158	301-159	301-160
del		3980	
	+1 x 75 mm	+2 x 100 mm	+3 x 150 mm

Made in Japan

The extractor designed for removing stripped precision screw by hand. Bites the stripped precision screw thread firmly, and can remove it by just pressing and screwing. Can be used for the precision screw in the size of +M1 to +M2.6. The blade is replaceable once it is consumed or lacked.

Item Code	301-161
Model	3610-N
Material	HSS (Blade) / Alloy Steel (Bit)
Weight / Length	40 g / 152 mm
Option	Replacement Blade (301-162)
Made in Japan	

HAND WASH BRUSH

n Code	601-122
erial ght / Dimensions	Agave fiber (Bristle) / Wood (Handle) 105 g / 48 x 105 x 24 mm
	105 g/ 107 105 x 21 mm

NAIL BRUSH

Suitable for removing dirt from nails and fingertips. Soft bristles will not hurt

n Code	601-119	601-120	601-121
or	Blue	Pink	Green
ensions	28 x 63 x 13 mm		

Burner RZ-512


Burner RZ-511

BENCH TOOLS

Hand tools














BURNERS

Handy, compact, safety butane gas burner torch with air and flame adjustments and hold function. Burner stands free, and both hands can be used for the work. Quick ignition by pressing, and filling gas easy. RZ-511CR is the model for fine spot flame, and RZ-512CR is the model for high power flame. RZ-512CR has 2.5 times.

Item Code	302-086	302-088
Model	RZ-511	RZ-512
Temperature Attainable	800 – 1300 ℃ (with air adjustment control)	
Gas / Gas Capacity	Butane / 7 g	
Weight / Dimensions	202 g / 70 x 90 x 146 mm	202 g / 100 x 70 x 162 mm
Made in Japan		-

CERAMIC CRUCIBLES

Durable crucibles for Platinum and can be used several times.

Item Code	503-009	503-010
Diameter	φ60 mm	φ70 mm
Mada in Janan	•	•

Made in Japan

SOLDERING TWEEZERS

Useful for soldering when you heat the objects, especially for Platinum. Heat-resistance is up to 3000℃.

Item Code	401-020	401-021	401-022	401-024	401-025
Model	BS-3000A	BS-3000B	BS-3001	BS-3002	BS-3003
Length	145 mm	175 mm	180 mm	170 mm	140 mm
Туре	Small	Large	Self-Lock	Large-Curve	Small-Curve
Made in Japan					

SILVER SOLDERS

Japanese made Silver Solders, different purity of silver for various uses.

•	-					
	FAST	2ND	3RD	5TH	7TH	9TH
Melt Temp.(°C) Silver %	620 50	820 80	780 77	750 70	720 60	730 50
			//		00	50
S-Pack (6.9-7 g) (50 x 50 x 0.3 mm)	306-002	306-003	306-004	306-005	306-006	306-007
L-Pack (27-28 g) (200 x 50 x 0.3 mm)	306-008	306-009	306-010	306-011	306-012	306-013
Mada in Janan						

Made in Japan

LASER WIRE FOR SILVER

SV900 is designed for especially silver laser welding. Silver laser welding is said, not easy work though, with this Laser wire, it flows smoothly and gives a white color finish. Fill porosity, re-tip prong settings, resize rings etc. Set the power of the laser as same as 18K gold welding.

ltem Code	306-001
Purity	Silver 900
Contents	Round wire diameter 0.26 x approx. 100 mm
Application	Laser Silver welding Power of leaser setting as 18K gold
Made in Japan	



Promex Plating Machine







ltem

Platinum Investment: A1-Mix

High Melting Point Investment ALL89

GT-P2S

GT-3S

HIGH MELTING POINT INVESTMENT ALL 89

Good for lost wax casting for various types of metal. Especially Platinum, Palladium, Stainless, and high-melting point metals. Ideal silica investment powder from Japan.

Iten Mode Cons Maxim Heate Furnac Weig Powe

Alfa Mirage Collection

Vol.10 / 43

Vol.10 / 44



Item Cont

PROMEX PLATING MACHINE

Promex Plating Machine enables you to plate safely & quickly with disposable pens (23 kinds). Each pen contains 10ml of solutions and can plate approximately 60 x 60cm plate. This compact Promex Plating Machine is perfectly suitable for Jewelry, optical frames, watches, ornaments, accessories, small parts, or jewelry maintenance and repair. 24K, 18K pen are also used for IC Base for repairing purpose.

(Optional Pens) Degreaser, Copper, Nickel, Chrome-Color, Black-Nickel, 24K Gold, 20K Gold,18K Gold,14K Gold, 12K Gold, Pink Gold, Rhodium, 24K Gold (Rapid), 18K Gold (Rapid), Silver, Silver (Rapid), Stainless Steel Degreaser, Zinc, Tin, Palladium, Red Gold, Luna Pink-1 Gold, Luna Pink-2 Gold, Luna Pink-3 Gold.

Item Code	502-006	502-007	
Model	Standard Set	Control Unit	
Style	Pen type plating machine		
Weight / Dimensions	300 g / 140 x 160 x 75 mm		
Accessories	Control unit, AC Adaptor, Connecting cable, Polishing paste		
Pens	Degreaser, 18K Gold, Silver	-	

Made in Japan

LOOSE STONE CHECKER

This machine is for checking the stones on jewelry which are fixed properly or not by giving vibration. You can easily find out the stones which set loose through magnifying glass. SCK-203 has adjustments for the pulse cycle, vibration power.

Item Code	801-063	801-290
Model	SCK-101	SCK-203
Weight / Dimensions	1.2 kg / 256 x 132 x 45 mm	10 kg / 320 x 245 x 210 mm
Power / Consumption	100V / 10W	100-240V / 120W (max)
Accessories	Holder for Ring & Pendant x	1 pc each Magnifying Glass
Made in Japan		

PLATINUM INVESTMENT A1-MIX

Ideal investment for Platinum. Smooth and stable surface without mass cast hollow or few burrs.

Item Code	503-008
Contents	25 kg / Binder 500 cc
Made in Japan	

Item Code	503-066
Contents	25 kg / Binder 500 cc
Made in Japan	

SHIROTA ELECTRIC FURNACE

Shirota has been producing Furnace for more than 80 years. They are used for Cloisonne enamel, Glass, Lost wax, Silver cray and various experiments. It has dial type temperature controller, and digital temperature control (1 $^\circ$ C unit), and can keep stable temperatures.

m Code	801-481	801-482	
del	GT-3S	GT-P2S	
sumption	1 kW	1.3 kW	
imum Temperatures	1000 ℃		
ter	Three-sides Heater		
ace Inner Dimensions	W160 x H52 x D200 mm	W200 x H130 x D240 mm	
ght / Dimensions	10 kg / 310 x 350 x 340 mm	16 kg / 350 x 405 x 410 mm	
/er	100V / 230V		

Made in Japan

Alfa Mirage Collection



Nakanishi Emax Evolution









ULTRASONIC POLISHER SHEENUS ZERO

High-speed polishing system using ultrasonic vibrations of 19,000 to 29,000 times per second with a maximum amplitude of 40 μ m. Vibration is not conveyed to the hand, and safety is further improved with high efficiency through circuit optimization and a heat generation protection function.

Item Code	303-062	303-063	
Model	7775 / 120V	7776 / 230V	
Oscillation frequency	19 kHz -	29 kHz	
Outputs	45 W(max) UNCLAMP mode 20 W(max) CLAMP mode		
Weight / Dimensions	1.5 kg / 161 x 256 x 84 mm		
Power	AC 100- 240V		
Accessories	Controller, Handpiece, Tool box, Wrench x2, Hexagon wrench , Foot switch (FC-24), Spare fuse x2, Main power cord (Plug type : 120V or 230V) Tools : 1set (Electroplated diamond file #200 Flat taper, 4 x 50 mm, t=0.4, Ceramic fiber grindstone #800 Flat, 6 x 50 mm, t=1.0, Tip holder (For round, φ 3.0 tip), Tip holder (For flat, t=1.0 tip)		

Made in Japan

NAKANISHI EMAX EVOLUTION

Ultra-precision brushless Micro-grinder from NAKANISHI, Japan. Tough torque brushless motor, flashing live load Indicator, auto-cruise control and fix speed function.

Item Code	303-025	303-024		
Model	8080 / EV410-100	8225 / EV410-230		
Speed	1,000	1,000 – 40,000 RPM		
Power	100V / 30W	230V / 30W		
Weight	182 g (Hand pie	ce) 2.3 kg (Control unit)		
Accessories	IR-310+ENK-410S)	Control unit (NE249), Micro Grinder (Ring type IR-310+ENK-410S) Collet chuck (φ 2.35 & 3.0 mm), Other standard accessories		
Option	Foot	pedal FC-64		
Made in Japan	1			

MICRO GRINDER PREMO RPM-V-355 / W CHUCK2.34

Ultra-compact, but high-performance micro grinder with max 35,000 RPM. Pursuit of rotation accuracy enables to smooth work with less runout. Ideal torque control provides tenacious power, especially in the low-speed range. Feedback function keeps rotation speed even while working. Safety mechanism stops rotation when overloading.

Item Code	303-056
Model	RPM-V35S
Speed	2,000 – 35,000 RPM
Weight / Power	189 g (Hand piece) 82 g (Controller) / 100 - 240V
Accessories	Hand piece (RPM-V35R), Controller (RPM-V35C), Collet chuck φ 2.34, AC Adapter (RPM-V35AD6), Spare Carbon Brush (KE-610)


Made in Japan

MICRO GRINDER PREMO RPM-25S2 / W CHUCK 2.34

Ultra-compact, but high performance, micro grinder with max 25,000 RPM. Only 50g controller and 189g hand piece are lightweight and compact. Easy to carry around. Hand piece has full spec with one-touch release function and high dust-proofing structure. Feedback function keeps rotation speed even while working.


Item Code	303-057
Model	RPM-25S2
Speed	2,000 – 25,000 RPM
Weight / Power	189 g (Hand piece) 50 g (Controller) / 100 - 240V
Accessories	Hand piece (RPM-R25), Controller (RPM-C25),Collet chuck φ 3.0 mm & Chuck sleeve φ 2.34, AC Adapter, Controller Stand (PS-100), Spare Carbon Brush (KE-610)

Made in Japan





Hand Drilling Press



Combination Polishing Machine



DENYUSHA Buff Motor DSB-200HNIV + PC-MIV

BENCH TOOLS _____ Hand tools _____ Machinery

Vol.10 / 46

COMPACT FOLDABLE DUST BOX

Dust box prevents scattering of dusts or shavings during the work such as polishing or grinding. Foldable, easy set up with fold line, and convenient to carry. The tray equipped on the bottom makes it easy to clean up after the work. Can fit various spaces, and useful for working at the place where is not your workplace.

n Code	303-060
erial	PET Resin
ensions	280 x 200 x 209 mm (Thickness 0.5 mm) / Hole φ 30 mm
la in Janan	

HAND DRILL UNIC

Japanese made hand drills are continuously requested by users. These classic hand drills are still a great way to drill holes precisely and simply.

ltem Code	303-058	303-059
Model	MINI	H-102
Drill Size	0.1 - 5.0 mm	0.5 - 6.5 mm
Length	230 mm	300 mm

Made in Japan

HAND DRILLING PRESS

Simple drilling press by hand on the desk. Drilling capability 1.0 to 5.0mm. Drill head can be removed from the base to use as Hand Drill.

Item Code	303-064
Model	H-104
Drill Capability	1.0 to 5.0 mm
Weight / Dimensions	460 g / 150 x 75 x 235 mm
Made in Japan	



COMBINATION POLISHING MACHINE

Cutting, Grinding, Sanding and Finishing for Gemstone can be done with a machine. As the rubber seal bearing used, you do not need to oil the machine or to care for the maintenance.

Item Code	305-113	
Model	SAY-120	
RPM for Duplex Grinder	2 speed selectable 1,300 / 2,300 rpm / 60 Hz 1,080 / 1,900 rpm / 50 Hz	
RPM for Surface Grinder Shaft Diameter	1,750 rpm / 60 Hz 1,450 rpm / 50 Hz φ12.7 mm	
Weight / Dimensions	32 kg / 570 x 450 x 450 mm	

DENYUSHA BUFF MOTOR

This state-of-the-art motor provides vibration free, and quiet operation. Motor has a variable speed amazingly from 1000 \sim 4000 rpm, and with the PWM inverter, user can adjust the best suitable rpm for silver, gold, platinum jewelry.

Item Code	303-054	
Model	DSB-200HNIV	
Speed	1,000 – 4,000 RPM	
Maximum buff size	180 mm (Diameter) x 25 mm (thickness) x 16 mm (Center Hole)	
Input Power	300VA	
Volts / Hz	Single Phase 100V 50/60 Hz	
Weight /Dimensions	10.7 kg / 347 x 235 x 221 mm	
Option	Dust collector PC-MIV (303-055) 16.5 kg / 488 x 433 x 362 mm	

STORE FRONT Cleaning / Cloth | Boxes / Others













Plastic

atinum

ALFAMIRAGE

AMC LUSTERING CLOTH

Improved lustering cloth designed for different types of materials. Each of cloths is blended with different compound and wax. Remove both scratch and oxide layer with ultra-fine abrasive and bring back original luster. *Customs packing or logo print order is also available.

Item Code	Product Name	ltem Code	Product Name	Contents / Size	Material
601-099	Lustering Cloth AMC Silver	601-102	Lustering Cloth AMC Stainless		
601-100	Lustering Cloth AMC Gold	601-103	Lustering Cloth AMC Plastic	2 pcs / pack 125 x 195 mm	Cotton cloth with polishing compound and wax
601-101	Lustering Cloth AMC Copper	601-104	Lustering Cloth AMC Platinum		

Made in Japan





AMC JEWELRY CLEANING CLOTH

ALFAMIRAGE

High quality microfiber cloth, which has very strong power of wiping out the oil or dirt. Great performance for jewelry, watch, glasses, lens as well as stone. Please wash periodically with soap, then wiping power recover again.

ltem Code	601-105
Size	125 x 195 mm
Contents	1 pc
Made in Japan	

AMC PEARL CLEANING CLOTHS **ALFAMIRAGE**

Soft and gentle, good for cleaning, maintenance for the Pearl after used. No-washable microfiber cloth.

Item Code	601-107
Size	195 x 250 mm
Contents	1 pc
Made in Japan	!





Cleaning Cloth SEP



long time use.

Iten Prod

lten Produ Size Mate

AMC Jewelry Black Gloves


TORAYSEE MF GLOVES

Iter Size

Mate

Made Item Produ Size Mate Conte





HIGH QUALITY CHAMOIS

High performance processing Chamois which has soft surface and remove moisture, oil, finger print and bring back its original shine easily and quickly.

Item Code	601-006	601-007	601-008
Size	120 x 120 mm	120 x 180 mm	150 x 150 mm

Made in Japan

Iter

Size

CLEANING CLOTH SEP

Cleaning cloth designed for diamond. This soft smooth cloth works for gemstone and pearls as well.

m Code	601-114
2	220 x 255 mm

HI-CLASS BLACK GLOVES

Smooth surface quality fabric black color gloves. Good for handling diamond, pearl jewelry.

ALFAMIRAGE

ALFAMIRAGE

Item Code	601-133	601-134
Product Name	Hi-class	Black Gloves
Size	S L	
Material	100% Polyester	

AMC JEWELRY BLACK GLOVES

Fit on hands with hook button. Easy on hands made of 100% cotton even for

n Code	601-131	601-132
duct Name	AMC Jewelry	Black Glones
	M	L
erial	100%	Cotton

Traysee ultra fine fiber can be wiped dust and oil out, and keep your jewelry sparkling and clean. Suitable for handling the stones, jewelry and pearls.

m Code	601-011	601-012	601-013
e	Μ	L	LL
terial	Polyester ultra fine fiber		

JEWELRY GLOVES

of 100% cotton. Easy fit on your hands.				
n Code	601-032	601-014	601-015	601-057
duct Name	Jewelry Gloves (White)			
	S	м	L	LL
erial	100% Cotton			
tents		12 pairs	s / pack	





Model / Size M18 : 57	x 60 x 24 mm	
M50 :86	x 77 x 26 mm	
M205 : 93	x 114 x 32 mm	
Color Model	M18	M50

Outside/Inside)			
White / White	801-224	801-227	801-230
Black / White	801-225	801-228	801-231
Black / Black	801-226	801-229	801-232
Made in Japan			

M205



DIAMOND CLEAR BOX

Diamond Clear Box

Loose Stone Case & Tray

Clear plastic case with 2 colors (white & black) back. Slide the lid to open and close the case. It comes with card in each box.

Item Code	801-233
Dimensions	40 x 32 x 15 mm
Contents	20 pcs

LOOSE STONE CASE & TRAY

Standard square plastic case of white and block colors, 2 sizes. Convenient to carry out or store with trays and lids.

Item Code	801-535	801-536	801-537	801-538
Product Name Size / Contents Color		Case 30 mm / 20 pcs Black	Loose 0 40 x 40 x 15 White	
Item Code	801-539		801-540	
Product Name Storage Number Dimensions	Tray For 30 W / LID 40 pcs 290 x 192		Tray For 40 W / LID 24 pcs 192 x 23 mm	

RING STORAGE PREMIUM CASE

Good quality storage cases for rings. 4 sizes are available depending on the quantity of rings to put.

Item Code	801-525	801-526	801-527	801-528
Model	401	402	403	405
Storage Number	12 pcs	18 pcs	28 pcs	48 pcs
Dimensions (mm)	152 x 92 x 39	187 x 117 x 39	210 x 150 x 39	267 x 180 x 39
Made in Japan	1			

STORAGE PREMIUM CASE

Standard square plastic case of white and block colors, 2 sizes. Convenient to carry out or store with trays and lids.

Item Code	801-545	
Model Dimensions	Small 274 x 93 x 27 mm	Medium 274 x 185 x 27 mm
Made in Japan		







Zip Bag Mark Series



Price Iten Size

ltem Size

Price Tag Case & Card

marker. Тур Leng





Mode Conte Price

Mode Conte

Storage Premium Case



STORE FRONT

Boxes / Others

Can be put gems in half side, and set sorting card in other side. It is possible to put small ring, or earing as well. Fold in half and carry out with compact size.

Item Size / Made ir





Necklacec Zip Bag W/Hook



Plastic Zip Bag V Series

TWO FOLD PLASTIC LOOSE BAG

n Code	801-524
/ Contents	95 x 118 mm / 20 pcs
e in Ianan	



NECKLACE ZIP BAG W/HOOK

Unique necklace plastic zip bag. Your necklace can be hold in good position inside by putting the hook inside the bag. Very useful when carrying out to shows. Utility model registered item.

n Code	801-478
/ Contents	240 x 65 x 0.2 mm / 10 pcs

PLASTIC ZIP BAG

Clear 0.2mm plastic bag for jewelry, watch, gemstone etc. It can be used repetitively. Thickness : 0.2mm / contents : 50pcs/pack

Item Code	801-391	801-392	80	1-393	801	-394	801-3	95	801-396	6 801-397
Model	V30	V40	V	50	V50	DA	V60		V60B	V70
Length (mm)	235	60	21	15	70		235		85	250
Width (mm)	30	40	50)	50		60		60	70
Item Code	801-398	8 801-39	99	801-4	400	801	-401	80	01-402	801-403
Model	V85	V95		V100)	V11	5	V	150	V170
Length (mm)	105	155		255		125	5	19	90	240
Width (mm)	85	95		100		115	5	15	50	170

Made in Japan

ZIP BAG with Mark space

Clear ZIP Bags with 3 white lines of mark space, which accepts pen and

Mark-8 : Package color blue, thickness 0.08mm, 3 lines mark spaces Mark : Package color yellow, thickness 0.04mm, 3 lines mark spaces

e	Α	В	C	D	Е	F	G	H	-	J
gth (mm)	70	85	100	120	140	170	200	240	280	340
th (mm)	50	60	70	85	100	120	140	170	200	240
tents (Mark-8)	200	200	200	200	200	100	100	100	100	100
tents (Mark)	300	300	200	200	200	100	100	100	100	100

Made in Japan


PRICE TAG CASE & CARD

Price tag plastic case with thread, 100 pieces per pack.

e Tag Case						
n Code	801-529	801-530	801-531			
lel	D1	D2	D3			
	32 x 22 mm	35 x 19.5 mm	40 x 24 mm			
tents	100 pcs					
Tag						
n Code	801-532	801-533	801-534			
del	D1Y	D2Y	D3Y			
	30 x 18 mm	33 x 17 mm	37 x 21 mm			
tents	100 pcs					
le in Ianan						

DESIGN Design Template

DESIGN GEM



JEWELRY DESIGN TEMPLATE

By using these jewelry templates, design drawings can be done easily and speedy. There are various kinds of basic gem stones shapes, ring designs available. Save plenty of time even experienced designers. Thin plastic, precise lines and smooth surface design template for all jewelry designers.

Item Code	Model	Design	Detail
305-129	M-1	Marquise, Pear, Emerald type	Denvilse suite of a sector of Denvisite shows a discussily set for the
305-130	M-2	Heart, Square, Baguette type	Popular cuts of gemstones. Draw with sharpened pencil vertically.
305-131	M-3	Ring half-round type	These dimensions downline of the same hardware so the
305-132	M-4	Ring Band type	Three dimensions drawing of ring can be done easily.
305-133	M-5	Diamond round type	34 sizes (1/200 to 3 ct) of diamond round brilliant cut. Diameter is based on common cut and round it off to one decimal place.
305-134	M-6	Ring size	The size and center line can be drawn directly on Wax as well as drawings.
305-135	M-7	Ring & Stone -1- Top view	
305-136	M-8	Ring & Stone -2- Top view	The facet line and prong for gemstone. Also 6 each different kinds of arm design are available.
305-137	M-9	Findings, Clasp	Various kinds of findings, clasp. 15 kinds of design are available.
305-138	M-10	Diamond round angle view	Diamond brilliant cut at an angle view. 1/200 to 0.5 ct of 15 sizes, 25 to 60 degrees view.
305-139	M-11	Hexangular, Pentagon, Triangle, Star	Fancy cut of gemstone. Draw with sharpened pencil vertically.


Made in Japan

DESIGN


Design Template



DESIGN RING




305-131 M-3 Ring half-round type







305-134 M-6 Ring Size (Front view, Directly on Wax)



305-135 M-7 Ring & Stone - 1 - Top View




DESIGN FINDINGS, CLASP





















M-1, M-5

M-9



M-4, M-10









M-6, M-10

M-3, M-10

Designed by Yoko Ohba / Japan Jewelry Craft School

Alfa Mirage Collection

PEARL TOOLS Pearl Drilling | Thread / Wires | Pearl tools

ALFAMIRAGE







PEARL TOOLS

Pearl Drilling

Pearl tools



PEARL DRILLING MACHINE PD a -100 / 200

For drilling a hole in a pearl or round thing which has Mohs hardness of 5 or less.

- Enhanced drilling accuracy
- Less stain to the motor extending operation life
- 4.2kg compact body
- Motor replacement now possible at the user's end
- Be able to drill a hole in bigger pearl up to φ 35mm
- Improved pearl chucks make replacement easier
- Attachment container included as the standard equipment
- Replacement High-speed drill, and Carbide drill bit are available

ltem Code	701-003	701-004			
Power Supply	AC100-120V 50/60 Hz	AC200-240V 50/60 Hz			
Speed	6000 / 6500 rpm				
Weight / Dimensions	4.2 kg / 145 x 235 x 122 mm				
Accessories	Chuck φ3, 5, 7, 9, 11 mm / Drill bit (0.8, 1.0, 1.2 mm) x 2 Adjustment wrench x 2				
Option	Chuck φ 10- φ 34 mm, Drill bit from 0.6-1.3 mm				
Made in Japan					

PEARL DRILL

Pearl drill bit, HSS or Carbide are available. Tip designed for most suitable shape for drilling pearl without damage and has 2 sided. Twist Drill, HSS standard model from Japan.

Product Name	Description
Pearl Drill HSS	High-Speed Steel, length 50 mm, 2 sided Size: 0.6, 0.7, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3 mm
Pearl Drill Carbide	Carbide, length 50 mm, 2 sided Size: 0.6, 0.7, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3 mm
Twist Drill HSS	High-Speed Steel Size: 0.2-10.0 mm (0.05 increments)

Made in Japan

PEARL SIEVES

High quality Pearl Sieves. Very popular model in Japanese market.

701-085	701-086	701-087	701-088
Pearl Siev	ves Frame	Plate 150 2-20 mm (Increment of 0.25 mm)	late 190 2-20 mm (Increment of 0.25 mm)
150 mm	190 mm	-	-
	Pearl Siev	Pearl Sieves Frame	Pearl Sieves Frame Pearl Sieves Frame (Increment of 0.25 mm)

Made in Japan

PEARL COUNTER

Very easy for counting pearls. Save time and avoid damage the pearls.

Item Code	701-089	701-090	701-091	701-092	701-093	701-094	701-095	701-096
Size	8 mm	9 mm	10 mm	11 mm	12 mm	13 mm	14 mm	15 mm
Holes	100 holes					50 h	oles	
*A counter can be used for 2-count smaller pearls.								

Made in Japan





long time.

Item Num Lengt Total

Pearl Thread Tire Silk

French wire is to conceal beading wire next to crimps and clasps. It gives not only jewelry elegance and professionally finished look, but also protecting and strength to the ends of the beadwork. lten Color Weig



The thread snips which won Good Design Award. With original manufacturing technology and latest material, enables smooth motion of blades, durability, and lightness.

Iten Mode Mate

Thread Snips



PEARL THREAD KING

Most popular polyester thread for pearl.						
Item Code	701-033 / 034	701-035 / 036	701-037 / 038	701-039 / 040		
Number / Color	#8 (White / Black)	#20 (White / Black)	#30 (White / Black)	#40 (White / Black)		
Length	1000 m	1000 m	2000 m	2000 m		
Diameter	0.46 - 0.74 mm	less 0.46 mm	0.04 - 0.44 mm	0.35 - 0.40 mm		
Made in Japan	I					

PEARL THREAD GUNZE GPT

Highest quality thread made of high-density polyethylene. "Lighter than Water, Stronger than Iron, Sparkle like Silk." Very popular for high-end Pearl and Jewelry manufacturers.

Item Code	701-054	701-055	701-056	701-057	701-058
Number	#10	#20	#30	#50	#80
Length	1000 m	1000 m	1000 m	2000 m	2000 m

Made in Japan

PEARL THREAD TIRE SILK

TIRE Silk Thread is 100% pure silk with necessary strength and elongation with its natural beauty of a glossy shine. Widely used for Pearl necklace for a

n Code	701-298
nber / Color	#16 / White
gth	200 m
l dtex	860
l dtex	860

*Other colors are available.

FRENCH WIRE

Item Code	701-141	701-142		
Color	Silver	Gold		
Weight / Length	14 g / approx. 800 cm			
Made in Japan				

THREAD SNIPS

Item Code	701-306
Model	Clover Black-Short Blade
Material	Blade: Stainless Steel Handle: FRP Resin
Weight / Length	15 g / 105 mm (Blade length 36 mm)
Made in Japan	





Epoxy Adhesives High-Super









COLOR CHART



EPOXY ADHESIVES HIGH-SUPER

Two-part epoxy adhesive curing at room temperature. Mixing ratio 1:1 and pot life within 5 or 30 minutes. Time required for effective curing in about 1 hour. Good for bonding Pearl jewelry, accessory making.

Item Code	801-541	801-542	801-543	801-544
Model	High	-Super 5	Higł	n-Super 30
Contents	6 g	15 g	6 g	15 g
Applocation	5-min	ute epoxy	30-m	inute epoxy
Effective Curing		About 1 hour		
	5-min	1 2	1	inute ep

Made in Japan

SILICONE RING FOR PEARL

Place silicone ring between pearls to protect from having scratches by touching each other. 3 colors, 2 sizes are available.

ltem Code	701-135	701-136	701-139	701-140	701-137	701-138
Color	Bl	ack	Wł	nite	Trans	parent
Size	2 mm	2.5 mm	2 mm	2.5 mm	2 mm	2.5 mm
Contents			1000 pc	s / pack		
Mada in Janan						

Made in Japar

BEADING NEEDLE SAKUSAKU

Beading needles for threading pearls, beads, bracelets, and necklaces. Place beads in a long, thin tube and insert the needle into the beads and move it up and down to easily thread the beads onto the needle. Made of thin and soft stainless steel.

Item Code	701-304
Material	Stainless Steel
Size	75 mm
Contents	2 pcs

PEARL STORAGE CASE JEPEARL

Ideal pearl case for keeping pearls, jade, and tortoiseshell. It has the three principles of care: wiping, humidity control, and dark storage. Ultra-micro fibers press down on the pearls from top and bottom and absorb dirt.

Item Code	701-305	
Color	Navy	
Dimensions	198 x 137 x 43 mm	
Made in Janan		

CENFILL STAINLESS STEEL WIRE

High quality stainless wire coated by Nylon. Each wire is composed of 7 strands with enough strength. Other diameter, number of strands wires are also available.

Ma da la lava av	·
Color	15 colors
Diameter / Length	0.4 mm / 100 m or 500 m / roll
Material	Stainless Steel Wire (7 strands), Coated Nylon





WATCH TOOLS Watch tools





Iter

Prod Weid

Made SEIKO Watch Holder Vise



IKO S

SEIKO Multiple Band Sizing Tool

Versatile movement holder that can be used for all types of work. Disassembly and assembly of movement and putting needles in and cleaning the dial, etc. Diagonal notches can adjust various sized movements. Rubber has an excellent anti-slip effect.

Item Mode Dime

SEIKO Versatile Movement Holder


SEIKO Round Movement Holder

Round shape movement holder for disassembly and assembly of movements. Conductive silicon rubber protects the watch circuit from static electricity.

Iten Mod Size

SEIKO Square Movement Holder


ltem Mode Dime Made in Japan



PEARL TOOLS

Thread / Wires

Pearl tools



SEIKO WATCH HOLDER VISE

Can be used without removing bands. Both side pins are freely adjustable for various types of watches.

n Code	801-214
luct Name	SEIKO Watch Holder Vise S212 (Multi)
ght / Dimensions	395 g / 108 x 97 x 50 mm
e in Japan	



SEIKO MULTIPLE BAND SIZING TOOL

Designed to make your watch band sizing jobs a whole lot easier. Adjusts 7 different band adjustment methods. Complete tool for removing all types / sizes of pushpins, clip springs, free pins and c-ring pipes, screws, fixing pins and spring bars.

Item Code	820-048
Model	S-926
Weight / Dimensions	140 g / 96 x 87 x 35 mm
Made in Japan	

SEIKO VERSATILE MOVEMENT HOLDER

n Code	820-049
lel	SE-S-682
ensions	60 x 40 x 15 mm
a tra da mara a	

Made in Japan

SEIKO ROUND MOVEMENT HOLDER

n Code	820-050
lel	S-683
	φ40 x 8 mm

Made in Japan

SEIKO SOUARE MOVEMENT HOLDER

Square shape movement holder for disassembly and assembly of movements. Ideal for chronograph watch movements.

n Code	820-051
el	S-684
ensions	40 x 40 x 8 mm



MKS HANDY CASE OPENER

Universal watch case opener. Its V style design features double pins that are great for removing the various types of screw-on case backs.

Item Code	801-056	820-001
Model	19400	19460 (Wide)
Weight / Dimensions	215 g / 150 x 50 x 30 mm	220 g / 150 x 90 x 30 mm
Diameter up to	39 mm	60 mm
Made in Japan	59 11111	0011111

MKS PRESS WATCH CASE CLOSER / MKS PLASTIC DIES SET

MKS press watch case closer. Perfect for closing the watch case after resizing

820-053

46610 (Press Watch Case Closer) 49540 (Plastic Diet Set)

ω10 mm

1.5 kg / 60 x 110 x 140 mm 124 g / 175 x 108 x 62 mm

φ 19.0, 21.0, 23.0, 25.0, 27.5, 29.0, 31.0, 33.0, 35.0, 38.5 mm

or repairing. Use with plastic dies set (ϕ 19.0 – 38.5mm).

820-052

MKS UNIVERSAL MOVEMENT HOLDER

820-054

50 g / 70 x 30 x 25 mm

21600

adjust various type of movements.

MKS VERSATILE HOLDER

For holding the movements of mechanical watches. Four different sides

It holds the watch case firmly when opening and closing. There is rubber

under the wooden base to prevent slipping. Very useful for screw backs and

other types of watches that require turning to open watch cases.

820-055

19600

Weight / Dimensions 270 g / 150 x 110 x 30 mm

Item Code

Shaft Diameter (Body)

Weight / Dimensions

Model

Dies Size

Made in Japan

Item Code Model

Made in Japan

tem Code

Made in Japan

Model

Weight / Dimensions



MKS Press Watch Case Closer



MKS Universal Movement Holder





WATCH OPENER For opening the watch case. Different shapes of tips available.

Item Code	801-058	801-059	801-060	801-061	801-218	801-219	801-220
Brand		MKS		SEIKO			
Model	MKS	5-01	MKS	5-02	S-282	S-283	S-284
Color	Bl	ue	Bro	wn	Pink	Yellow	Red
End Size	19 mm	9 mm	9 mm	4 mm	8 mm	5 mm	4 mm
Made in Janan							



Item

Mod Weia Batte

Digital Multitester

Multitester designed for watch exclusive. Replacement model of S-860. Easy view, reading essential tools at watch shop, watch repairer. Iten

Mode Weig Batte





SEIKO Digital Battery Tester

A&D Digital Multimeter

A convenient and easy to use digital multimeter. Equipped with plenty of functions, including DC/AC voltage, DC current, resistance, continuity check and diode check functions, and dry battery check function.





Mode Weigł

Batte

Item

WATCH TOOLS

Watch tools

DIGITAL MULTIMETER TY520

A digital multimeter is a diagnostic tool that measures two or more electrical values. The device measures electrical values such as current, voltage, and resistance, and more and shows the values on a numerical display and a graph display. It can test diodes and transistors.

n Code	820-070
lel	TY520
ght/ Dimensions	560 g / 90 x 192 x 49 mm
ery	AA battery x 4 / 120 hours

SEIKO DIGITAL MULTITESTER S-880

m Code	820-071
del	S-880
ght/ Dimensions	290 g / 155 x 74 x 30 mm
ery	AA battery x 2 / 400 hours

SEIKO DIGITAL BATTERY TESTER

Handy and portable battery tester. Terminal surface on body and easy operation. Blister packed batteries can be tested with convexed terminal as well. Maximum power DC50V.

Item Code	801-376
Model	S-844
Weight / dimensions	110 g / 54 x 108 x 12 mm
Battery	LR-44 (or SR-44) 1.5 V x 2
Accessories	Soft carry case

A&D DIGITAL MULTIMETER

n Code	820-056
lel	AD-5527A
olay	1999 count / LCD
/oltage (V)	200 / 400, Maximum accuracy \pm (1.2% rdg + 5 dgts)
Current	2000 μ / 20 m / 200 mA, Maximum accuracy \pm (1.0 % rdg + 4 dgts)
/oltage	200 m / 2 / 20 / 200 / 400V, Maximum accuracy ± (0.8 % rdg + 5 dgts)
ght / dimensions	90 g / 60 x 20 x 113 mm
ery	LR44 button battery x 2

HANDY GAUSS METER

Portable, compact gauss meter. The miniaturized sensor (φ 8mm) is ideal for watch applications.

n Code	820-016
lel	TGM-20
ght / Dimensions	300 g / 80 x 150 x 50 mm





EYA-30 - 60

EYA-100, 150



MKS Watch Screwdrivers Set



No.930



MKS Driver Sharpening Roller



MKS Arkansas Stone/Indian Stone

EYE LOUPE ALUMINUM

Eye loupe with aluminum body. Light weight with excellent lens. Various magnifications to suit your needs.

-				
Item Code	106-299	106-300	106-301	106-178
Model	EYA-30	EYA-35	EYA-40	EYA-50
Magnification / Lens	3X / Single	3.5X / Single	4X / Single	5X / Single
Body Material	Aluminum			
Size	φ 37 x 28 mm			
Item Code	106-302	106-17	79 10	6-180
Item Code Model	106-302 EYA-60	106-17 EYA-100		6-180 A-150
) EY	
Model	EYA-60	EYA-100 10X / D) EY	A-150
Model Magnification / Lens	EYA-60	EYA-100 10X / D Alum) EY ouble 15	A-150 X / Double

Made in Japan

MKS WATCH SCREWDRIVERS SET

Body made of brass. Tip made of quenched metal can be sharpened again with grinding stone in case of the tip break.

Item Code	801-084	801-083
Product Name	MKS Watch Screwdrivers Set of 5	MKS Watch Screwdrivers Set of 10
Contents	[⊖] 0.7, 1.0, 1.4, 1.6, 2.0 mm	[⊖] 0.5, 0.6, 0.7, 0.8, 1.0 1.2, 1.4, 1.6, 1.8, 2.0 mm

SCREWDRIVERS SET

Professional to general use screwdrivers set with reasonable price.

Item Code	801-184	801-181
Product Name	Screwdrive	rs 6 pcs set
Model	No.930	No.800
Contents ⊖mm ⊕No	⊖1.2⊖1.8⊖2.3⊖3⊕00⊕0	⊖0.9⊖1.2⊖1.8⊖2.1⊕00⊕0

MKS DRIVER SHARPENING ROLLER

For sharpening blade of screwdrivers. Smooth rollers glide on sharpening stone for precise blade sharpening.

Item Code	820-004
Applicable Size	Up to φ 6 mm

SHARPENING STONE

Sharpening stone for screwdrivers. In case of tip crack of the screwdriver, start making shape with Indian stone, and finish precisely with Arkansas stone.

Item Code	820-006	820-005
Model	26500	44600
Туре	Arkansas Stone(Fine)	Indian Stone(Medium)
Weight / Dimensions	50 g / 25 x 6 x 100 mm	90 g / 26 x 16 x 100 mm






MKS Both-End Pin Tool



Quality pin punches of 3 different size sets, for taking out pins from bracelets and watch bands. Spare tips are available.

Mode Conte

Iter





Iten Produ

ANEX Spring-Bar Too

ltei Optic

NKS Spring-Bar Tool Size

Mod Size Mate

CITIZEN HOLDER VISE

Holder vise for metal watch belts made by Citizen. For holding the watch bands without scratching and for installation and removal of pins.

Item Code	820-057
Model	CTB-053
Holding Size	0 - 10 mm
Material	Duracon (POM)
Weight / Dimensions	75 g / 40 x 35 x 34.5 mm
Mada in Japan	

Made in Japan

MKS BOTH-END PIN TOOL

Both end pin tool with cap. Different diameter size and length of pins. Spare pins are available.

Item Code	Item Code 820-008 820-007	
Model	19900	19901 (Long Type)
Pin Size	0.7 x 8 mm / 0.9 x 8 mm	0.7 x 8 mm / 0.8 x 16 mm

MKS PIN TOOL SET

n Code	820-015
del	35500
tents	3 Pins (0.7, 0.8, 1.0 mm)

ANEX PIN TOOL SET

Watch pin tool set for changing metal watch band. Each size has different pin holder lines, that helps to find the size you like to pick up.

Item Code	820-072	
Model	68-P3	
Size	60 mm / Pinsφ0.7, φ0.8, φ0.9 x 20mm	
Material	Tip: Piano wire / Holder: Copper alloy	
Option	Replacement tip(5 pcs) 0.7, 0.8, 0.9 mm	

MKS SPRING-BAR TOOL

Essential tool for changing watch band.

m Code	801-202	801-203	801-204
duct Name	46000	TIP460-2 (10 pcs)	TIP460-3 (10 pcs)
	ϕ 6 x 100 mm	φ 0.8 mm	φ 2.0 mm

ANEX SPRING-BAR TOOL

Tool for changing watch band, to hold spring bar. Double ended pin and Y shaped tool.

n Code	820-073
lel	88W
	96 mm / Pin φ 0.8mm & Y shaped
erial	Tip: Chrome molybdenum vanadium steel Holder: Copper alloy
ion	Replacement tip(5 pcs) 0.7, 0.8, 0.9 mm











Japanese Quenched Pliers

ULTRA FINE TWEEZERS & MICRO TWEEZERS

Ultra fine tweezers are made by skilled craft man in Japan. Fine tips meet on exact point precisely, so that you can hold even very tiny part. Tip part of the tweezers are like needle. Micro tweezers are made especially for tiny parts operation. 90mm compact body make it easy to handle. Even 1mm flake of parts can be picked up.

Item Code	401-069	401-070
Туре	Ultra-fine	Micro
Material	18-8 Stainless	SUS410
Weight / Size	15g /125 x 10 mm	8 g / 90 x 9mm

TWEEZERS P SERIES

Tweezers with a smooth feel and precision tip. Suitable for continuous work without hurting the operator's fingers. SUS304 stainless steel with thickness 2.3mm achieve both moderate rigidity and non-magnetic and corrosion resistance. Good for changing watch batteries, holding parts, etc.

Item Code	401-066	401-067	401-068
Model	PP-130	PP-131	P-887
Material	Stainless Steel (SUS304)		
Thickness	2.3 mm		
Tip Width	0.6 mm	0.25 mm	0.6 mm
Weight / Size	25 g / 125mm	21 g / 110 mm	25 g / 125mm

MKS HAMMER

Japanese made Hammers, one side plastic and the other side brass heads. Wood handle and balanced weight for easy handling.

Item Code	820-017	820-018
Model	44400 (Small)	17900 (Medium)
Weight / Size	60 g / 230 x 10 mm	80 g / 230 x 13 mm
Made in Japan		

COMBINATION HAMMER MINI & MICRO


One side Iron, other side Nylon hammer and balanced weight are designed for precision hammering works as well as watch repair, maintenance.

801-302	801-304		
No.9012	No.9016		
Iron & Ny	Iron & Nylon heads		
245 x 65 x 14(Head) mm	180 x 56 x 12(Head) mm		
Nylon head 3 pcs set No.9053	No.9056 Teppeiseki, brass, nylon 1 each set No.9057 Nylon head 3 pcs set		
	No.9012 Iron & Ny 245 x 65 x 14(Head) mm		

JAPANESE QUENCHED PLIERS

Very useful for precise work for watch & jewelry making. You can change or re-design the forged iron tip as you like.

Item Code	301-001	301-002	301-003	301-004	301-005
Model Number	#00	#0	#1	#2	#3
Length	110 mm	112 mm	118 mm	125 mm	130 mm
Made in Japan					



塗布器 SILICON GREASER JAPAN

Silicon Grease

lten

S-916 SEIKO Silicon Grease A-MY451(TSF)

Mode Conte Made in Japan

S-3: Automatic-winding mainspring oil. AO-G09A: Become less oxidation, less reactive again other molecularity, so that it can keep the its quality. And it has good abrasion-resistant for metal and plastics. Can be used alternative grease of S-4 and S-6. Iten

SEIKO Watch Grease



Mode Туре Watch Oil Conte

lter



Item Mode Conte

SEIKO UV Adhesive S-314

TSUMAORI PLIERS

Precise works hold or taking out parts. Used a lot for watch making.

301-093	301-094	301-095
#31	#32	#33
110 mm	120 mm	127 mm
	#31	#31 #32

Made in Japan

SILICON GREASE

Silicone Grease for O-ring Gaskets. Essential item when repair or battery change.

Item Code	801-221	820-019
Model	49100	Large
O-ring size	Up to 40 mm	Up to 64 mm

Made in Japan

SEIKO SILICON GREASE

High quality silicone greaser to seal waterproof watches. Essential for replacing batteries and waterproofing gaskets. Lubricant with excellent water repellency. Prevents sweat, moisture, and dust from the watch.

n Code	820-020	820-060
lel	A-MY451 (TSF)	S-916
tents	4 g	10 g

SEIKO WATCH GREASE

Item Code	801-332	820-074
Model	S-3	AO-G09A
Contents	10 g	

WATCH OIL

AO-2: Rotors, fifth wheel and pinion, train wheel tenon etc. AO-3: Train wheel tenon, back peripheral sliding parts, switching mechanisms.

m Code	801-335	801-336
del	AO-2	AO-3
e	Low viscosity	Medium viscosity
tents	2 r	ml

SEIKO UV ADHESIVE S-314

Used to secure watch crystals on some case designs. It is suitable for waterproof watches up to 10ATM and is cured with a UV light.

n Code	820-024
lel	S-314
tents	10 g



Heat Resistant Film Adhesive Tape









HEAT RESISTANT FILM ADHESIVE TAPE

Excellent heat-resistant adhesive tape. Masking for operations that generate heat such as polishing, plating, and blasting. Also, masking areas that you do not want to be polished. Protects products from scratches and stains, and can be peeled off cleanly without sticking.

Item Code	820-062	820-063	820-064	820-065	820-066
Model	SP-10V	SP-20V	SP-50V	SP-70V	SP-100V
Size	1 mm x 30 m	2 mm x 30 m	3 mm x 30 m	7 mm x 30 m	10 mm x 30 m
Made in Japan					

ANTISTATIC RUBBER FINGER COT

Natural rubber, Sulfur-free, Surface resistance 10^{10} - $10^{12}\Omega$ /sp. Sulfur content does NOT contain and are used in various industries, electronics, precision apparatus as well as watch industry.

Item Code	801-205 801-206	
Size	50 x φ15 mm	
Contents	1000 pcs	500 pcs

BRUSH

Different types of brush for polishing or cleaning.			
Item Code	305-171	305-172	305-112
Type / Model	White Bristles / 21800	Nylon / 43800	Brass / 19300
Size	250 mm	230 mm	239 mm / 4 rows 16 colums
Brush	-	-	Diameter 0.14 / Length 16 mm



JAPANESE LACQUER BRUSH

Cleaning brush for watch and precision products. 150mm length, selected soft horsehairs are in whole stick. So brush hair will not come out when you use. When wear the brush, just cut the wore brush and sharp like pencil. Useful when cleaning the small parts on dish, or directly to the instrument.

ltem Code	801-404	801-405	820-075	820-076
Color of grip	Red	Black	Red Mini	Black Mini
Size	150 x 15 mm / B	rush 13W x 2H mm	110 x 15 mm / Bri	ush 13W x 2H mm
Made in Japan				





Mode Style Weig

NON ADHESIVE FILM TAPE

ltem Size Thick

Non Adhesive Film Tape

Watch Bag

Watch Bag

WATCH BAG

lter Color Size Cont

Made in Japan

lten Color Size Conte

Watch Carry Case

Iten weid Size

Alfa Mirage Collection

DUST BLOWER

The compression of large rubber ball provides a powerful jet of air to blow away dust from lenses and precision instruments.

Item Code	801-211
Model	UN-1301
Style	Blower brush
Weight	44 g
	•

Made in Japan

DUST BLOWER BRUSH W/CAP

Includes a cap to prevent the brush from getting dirty while carrying. Compressed air can be injected with the cap closed.

Item Code	801-209	801-210
Model	UN-1141	UN-1142
Style	1	Blower brush with cap
Weight	24 g	11 g

Made in Japan

Transparent film tape for masking, protection of watch and jewelry etc. You can pack nicely with strong, durable and autohesion tape.

Item Code	801-208	801-207
Size	100 mm x 50 M	50 mm x 100 M
Thickness	100 micron	50 micron
Made in Japan		

Watch bag for maintenance, repair. It has pocket for paper work. Zip lock keep inside small part well.

m Code	820-068
or	Clear
	240 x 180 x 0.2 mm
ntents	10pcs
1 1 1	

WATCH BAG

Plastic bag for watches. One side zip, the other side with pocket. Useful for managing repair process.

n Code	801-330	801-342	801-343	801-344
or	Green	Red	Blue	Clear
	160 x 90 mm			
tents	50 pcs			

Made in Japan

WATCH CARRY CASE

Watch carry case to protect watch, when traveling, carrying out.

m Code	820-069
ght	60 g
1	160 x 60 x 0.2 x 50 mm